# Unit 3

## Expressions

Exponents Order of Operations Evaluating Algebraic Expressions Translating Words to Math Identifying Parts of Expressions Evaluating Formulas Algebraic Properties Simplifying Expressions Identifying Equivalent Expressions

## **Unit 3 Calendar**

11/4	11/5	11/6	11/7	11/8
Unit 3 Pre-Test MSG set up Exponents	No School Election Day	Wildcat Lab HW: IXL O.3	Exponents/ Order of Operations	Order of Operations Quiz #1 (Order
HW: IXL D.2			HW: IXL O.6	of Operations)
	IXL We	ek of 11/4: D.2, O	.3, 0.6	
11/11	11/12	11/13	11/14	11/15
Evaluating Expressions	Evaluating Expressions Using Formulas	Translating Words to Math	Translating Words to Math	Quiz #2 (Evaluating Expressions
HW: IXL Y.4 & Y.5	HW: IXL Y.6	HW: IXL Y.1	HW: Y.3	and Translating)
	IXL Week o	of 11/11: Y.4, Y.5, Y	(.6, Y.1, Y.3	
11/18	11/19	11/20	11/21	11/22
Combining Like Terms	Wildcat Lab	Combining Like Terms	Putting it all together	Quiz #3 (Combining
HW: IXL Y.7	HW: IXL Y.15	HW: IXL Y.9	HW: IXL Y.10	Like Terms)
	IXL Week	of 11/18: Y.7, Y.15	5, Y.9, Y.10	
11/25	11/26	11/27	11/28	11/29
Thanksgiving Break				
12/2	12/3	12/4	12/5	12/6
Distributive Property HW: IXL Y.11,	Distributive Property	Unit 3 Review Stations	Unit 3 Mini Post Test/ Review Stations	Unit 3 End of Unit Test
Y.16	HW: IXL Y.12	HW: Study Guide	HW: Study Guide	
IXL Week of 12/2: Y.11, Y.16, Y.12				

#### Name: \_\_\_\_\_

Math Teacher:

#### Unit 3: Expressions Standards, Checklist and Concept Map Georgia Standards of Excellence (GSE):

**MGSE6.EE.1**: Write and evaluate numerical expressions involving whole-number exponents.

**<u>MGSE6.EE.2</u>**: Write, read, and evaluate expressions in which letters stand for numbers.

**MGSE6.EE.2a**: Write expressions that record operations with numbers and with letters standing for numbers. For example, express the calculation "Subtract y from 5" as 5-y.

<u>MGSE6.EE.2b</u>: Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. For example, describe the expression 2(8 + 7) as a product of two factors; view (8 + 7) as both a single entity and a sum of two terms.

**MGSE6.EE.2c**: Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). For example, use the formulas  $V = s^3$  and  $A = 6s^2$  to find the volume and surface area of a cube with sides of length  $s = \frac{1}{2}$ .

**MGSE6.EE.3**: Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3(2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6(4x + 3y); apply the properties of operations to y + y + y to produce the equivalent expression 3y.

**MGSE6.EE.4**: Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). For example, the expressions y + y + y and 3y are equivalent because they name the same number regardless of which number y stands for.

#### What Will I Need to Learn??

\_\_\_\_\_I can evaluate expressions, including with variables and exponents

- \_\_\_\_\_I can translate words to expressions
- \_\_\_\_\_I can identify parts of expressions
- \_\_\_\_\_I can substitute to evaluate formulas
- \_\_\_\_\_ I can apply the Order of Operations
- \_\_\_\_\_I can use the distributive property
- \_\_\_\_\_I can identify equivalent expressions

Unit 3 Circle Map: Make a Circle Map of important vocab and topics from the standards listed above.

## Unit 3 IXL Tracking Log

	Required Skills	
	<u>Skill</u>	Your Score
4	D.2 (Evaluate Exponents)	
Week of 11/4	<b>O.3</b> (Evaluate Numerical Expressions Involving Whole Numbers)	
3	<b>0.6</b> (Evaluate Numerical Expression Involving Decimals)	
	Y.4 (Evaluate Variable Expressions with Whole Numbers)	
11/	Y.5 (Evaluate Multi-Variable Expressions)	
Week of 11/11	Y.6 (Evaluate Variable Expressions with Decimals and Fractions)	
\$	Y.1 (Write Variable Expressions – One Operation)	
	Y.3 (Write Variable Expressions – Word Problems)	
	Y.7 (Identify Terms & Coefficients)	
11/18	Y.15 (Add and Subtract Like Terms)	
Week of 11/18	Y.9 (Properties of Addition)	
	Y.10 (Properties of Multiplication)	
2	Y.11 (Multiply Using the Distributive Property)	
Week of 12/2	Y.16 (Identify Equivalent Expressions I)	
Ň	Y.12 (Factor Using the Distributive Property)	

## Unit 3 - Vocabulary

Term	Definition
Algebraic expression	A group of variable(s), operation(s), and/or number(s) that represents a quantity. Expressions do not contain equal signs.
Coefficient	A number which multiplies a variable
Constant	A quantity that has a fixed value that doesn't change, such as a number.
Exponent	Shows how many times to multiply the base number by itself
Like terms	Terms whose variables (and exponents) are the same
Order of operations	A specific order in which operations must be performed in order to get the correct solution to a problem
Term	One part of an algebraic expression that may be a number, a variable, or a product of both
Variable	A symbol, usually a letter, that represents a number
Associative property of addition	This property states that no matter how numbers are grouped, their sum will always be the same
Associative property of multiplication	This property states that no matter how numbers are grouped, their product will always be the same
Commutative property of addition	This property states that numbers may be added together in any order, and the sum will always be the same
Commutative property of multiplication	This property states that numbers may be multiplied together in any order, and the product will always be the same
Distributive property	Multiplying a number is the same as multiplying its addends by the number, then adding the products

## Unit 3 – Vocabulary – <u>You Try</u>

	• <u> </u>
Term	Definition
Algebraic expression	
Coefficient	
Constant	
Exponent	
Like terms	
Order of operations	
Term	
Variable	
Associative property of addition	
Associative property of multiplication	
Commutative property of addition	
Commutative property of multiplication	
Distributive property	

#### Math 6 - Unit 3: Expressions Review

- 1) Identify each part of the expression. Write "n/a" if the part is not in the expression:  $9(3x^2 + 4)$ 
  - a) coefficient: \_\_\_\_\_ b) constant: \_\_\_\_\_
  - c) variable: \_\_\_\_\_ d) exponent: \_\_\_\_\_
  - e) quotient: \_\_\_\_\_ f) product: \_\_\_\_\_
  - g) factors: \_\_\_\_\_\_ h) sum: \_\_\_\_\_
  - i) difference: \_\_\_\_\_
- 2) What does it mean when a number is squared or cubed? Give an example of each.
- 3) Evaluate the expression. Show EACH step.  $10^2 (14 2 + 7)$

4) Write using exponents AND solve?  $5 \cdot 5 \cdot 5 \cdot 5 =$ 

5) If m=5, evaluate the expression:  $4m^2 + 6m$ 

- 6) Apply the distributive property to write an equivalent expression to 9(y-3).
- 7) Combine like terms to simplify this expression:  $8x^3 + 4x^2 + 12x^3 - x^2$
- The cost of renting a moving truck is \$39.99 plus an additional \$0.50 for each mile driven. Write an expression to represent the cost of renting the truck for *m* miles.
- 13) The tormula A=Iw can be used to find the area of a rectangle. Ms. Julien is mowing a rectangular lawn that is 9.5 yards long and 6 yards wide. What is the area of the lawn?

- 14) The formula for surface area of a cube is  $SA = 6s^2$ . Find the surface area of a cube whose side length (s) is 12 cm.
- 15) The expression 12n + 75 can be used to find the total price for *n* students to take a field trip to the science museum. Evaluate the expression 12n + 75 if there are 25 students attending the field trip. (*n* = 25).

16) Write a phrase for the expression  $\frac{n}{7}$ .

17) Which expression represents the phrase, "eight less than the product of six and b?

a) 8-6b b) 6-b+8 c) 6b-8 d)  $6b \times 8$ 


18) Evaluate 10 squared.

- 19) When you combine like terms, you mu8st look for terms with the same variable AND exponent. Choose the expression that is equivalent to  $4m + 4m^2 - m + 6m^2 + 2m^2$ 
  - a)  $15m^2$  b)  $17m^2$  c)  $12m^2 + 3m$  d)  $10m^2 3m$
- 20) Silly Sally has a friend named Cuckoo for Cocoapuffs. He also does not understand how to apply the order of operations, and has made a mistake in the problem below. Find the mistake and explain in THREE COMPLETE SENTENCES what the mistake is and what should have been done. Then write what the correct answer really is.

$125 - 15 \cdot 2^3 + 5$	
125 - 15 • 6 + 5	
125 – 90 + 5	
35 5	
40	

## **Exponents**

An \_\_\_\_\_\_ tells how many times to multiply a base times itself.



You read 4<sup>3</sup> as 4 to the 3<sup>rd</sup> power or 4 cubed or 4 to the third power.

You read 5<sup>2</sup> as 5 squared or 5 to the second power.

If a base is being raised to the zero power, it will always be equal to one.

When evaluating an exponent REMEMBER, an exponent only works on what it touches!

#### **Example:**

 $2 + 3^3 = 2 + 9 = 11$   $(2 + 3)^3 = 5^3 = 125$ 

#### <u>You Try:</u>

Evaluate:

1) 24	2) 5 + 7 <sup>2</sup>	3) (5 + 7) <sup>2</sup>
4) 10 - 3 <sup>2</sup>	5) (10 – 3) <sup>2</sup>	6) 2 - 20

## **Exponents Practice**

#### Example:

Exponential Form	Expanded Form	Standard Form
2 <sup>5</sup>	2 • 2 • 2 • 2 • 2	32
У <sup>4</sup>	y • y • y • y	Depends on value of y
92	9•9	81
100		1
36	3 • 3 • 3 • 3 • 3 • 3	729

You Try: Fill in the blanks below to complete the chart.

Exponential Form	Expanded Form	<u>Standard Form</u>
6 <sup>3</sup>		
	10 • 10 • 10	
42		
	$\times \bullet \times \bullet \times \bullet \times \bullet \times \bullet \times$	
90 <sup>2</sup>		

FUN FACT: Any number raised to the \_\_ power always equals \_\_.

Let's explore why:

Exponential Form	Expanded Form	Standard Form
24		
2 <sup>3</sup>		
22		
21		
20		

## **Exponents Practice**

Write using exponents.				
1. $3 \times 3 \times 3 \times 3$		2.	364  imes 364	۱
<b>3.</b> $2 \times 2 \times 2 \times 2 \times 2 \times 2$	× 2	4.	13 imes13 imes	13
<b>5.</b> $8 \times 8 \times 8 \times 7 \times 7$		6.	49	
Write in expanded form.				
<b>7.</b> 10 <sup>4</sup>		8.	6 <sup>5</sup>	
<b>9.</b> 3 <sup>2</sup>		10.	7 <sup>3</sup>	
<b>11.</b> 12 <sup>4</sup>		12.	5 cubed _	
Write in standard form.				
<b>13.</b> 5 <sup>4</sup>	<b>14.</b> 2 <sup>6</sup>			15. 11 squared
<b>16.</b> 10 <sup>7</sup>	<b>17.</b> 12 <sup>2</sup>			18. 6 cubed
Compare using <, >, or =.				
<b>19.</b> 4 <sup>2</sup> 2 <sup>4</sup>	<b>20.</b> 4 <sup>3</sup> 3 <sup>4</sup>	Ļ		<b>21.</b> 5 <sup>8</sup> 5 <sup>9</sup>
<b>22.</b> 3 <sup>8</sup> ○3 × 8	<b>23.</b> 2 <sup>5</sup> 5 <sup>2</sup>	2		<b>24.</b> 10 <sup>3</sup> 10 + 10 + 10
<b>25.</b> $5^3 \bigcirc 5 \times 5 \times 5$	<b>26.</b> 7 <sup>3</sup> 3 <sup>7</sup>	,		<b>27.</b> 10 <sup>4</sup> ◯4 × 10

For each number in exponential notation, identify the base, exponent, and power. Use a calculator to write each number in standard form.

 A typical American kid watches about 18<sup>4</sup> television advertisements between birth and high school graduation.

base	exponent
power	standard form

29. The highest point in Kentucky is Black Mountain. Its height is about 212 feet.

base \_\_\_\_\_

exponent \_\_\_\_\_

power \_\_\_\_\_ standard form \_\_\_\_\_

## **Order of Operations**

When computing a problem that has more than one operation, the "Order of Operations" lists the order in which to work the problem to ensure that no matter who solves the problem, the answer will always be the same. Having this set of rules prevents us from getting multiple answers to the same problem!



**MULTIPLICATION** and **DIVISION** are a group and they are worked from left to right.

**<u>ADDITION</u>** and <u>**SUBTRACTION**</u> are a group and they are worked from left to right.

When solving problems using the Order of Operations, your problems will look like a triangle (or a Dorito!) You must show all of your work as you complete each step!

#### Examples:

8 + 14 ÷ 7 x 3 – 5	6 – (5-3) + 10	42 – (8 – 6) x 2 <sup>2</sup>
8 + 2 x 3 -5	6-2+10	$42 - 2 \times 2^2$
8 + 6 - 5	4 + 10	42 – 2 x 4
14 – 5	14	42 - 8
9		34

#### You Try:

<u>You Try:</u>		
1) 2 • 2 + 3 <sup>2</sup>	2) 3 + (6 – 5) <sup>3</sup>	3) (2 + 4) <sup>2</sup> ÷ 2
4) 42 ÷ (3 <sup>2</sup> – 3)	5) 23 • (3 + 4) ÷ 2	6) 2 + 4 <sup>2</sup> - (3 +2)

## **Expressions**

An \_\_\_\_\_\_ is a mathematical statement that

contains numbers and operations.

An \_\_\_\_\_\_ is an expression that contains at least one variable, along with operations and/or numbers.

Expressions	Algebraic Expressions	Non-Examples of Expressions
48 ÷ 12	48 ÷ y	<b>y</b> (this is a variable)
5 <sup>2</sup>	X <sup>2</sup>	25 (this is a constant)
13 + 9	13 + <i>t</i> • 3	+ (this is an operation)

## **Parts of Expressions**

 $2x^3 + 4x - 7$ 


coefficients: <u>2 and 4</u>	constant: <u>7</u>
variable: <u>x</u>	exponent: <u>3</u>
quotient: <u>none</u>	product: <u>2x3 and 4x</u>
factors: <u>2, x, and 4</u>	sum: <u>2x<sup>3</sup> + 4x</u>
difference: <u>4x - 7</u>	terms: <u>2x³, 4x, 7</u>

#### Example:

- 5x + 14 This example has two terms, 5x and 14 5x is the product of 5 and x
- 2(8 + 7) This example has three constants (2, 8 and 7) There is a product (2 • (8 + 7)) There is a sum (8 + 7) There are two factors (2 and 8+7)

#### You Try:

Use the expression below to identify the parts.



## **Evaluating Expressions**

To evaluate, or solve an algebraic expression, you **<u>substitute</u>** a number in place of the variable(s) and then find the value.

Note: When a number and letter are written side by side with no operation indicated, then it can be assumed you will multiply them together.

3x = 3 times whatever x is. 4p = 4 times whatever p is

6u + 4 = the sum of the product of 6 and whatever u is and 4

#### Examples:

Evaluate the following algebraic expressions when a = 10, b = 3, and c = 5.


b + 18 (given expression)	$4a \div c$ (given expression)	$b^2$ (given expression)
3 + 18 (substitute 3 in for b)	4 • 10 ÷ 5 (substitute)	$3^2$ (substitute)
21 (solution)	$40 \div 5 = 8$ (solution)	<b>9</b> (solution)

#### <u>You Try:</u>

Substitute to evaluate the following algebraic expressions when x = 2, y = 25 and z = 8. Show all of your work!

1) 3z	2) y – z + x	3) y×
4) z ÷ x	5) x + y + z	6) 9 – x
7) 100 – 10x – 10z	8) 14 ÷ x + 2y	9) w <sup>0</sup>
10) xyz	11) z(x + y)	12) x + x • y

Expression	Terms	Variables	Constants	Coefficients
3x + 2y + 5	3x, 2y, 5	x and y	5	3 and 2
7x + 4y + 2				
3 <i>x</i> - 5				
6a + 4 - 6b				
$a^2 + 2a - 9$				
$xy + 3x^2 + xz - 7$				



## **Evaluating Expressions Extra Practice**

Use substitution to evaluate each expression for the given value of the variable. Show your work!

## **Evaluating Expressions Extra Practice**

Use substitution to evaluate each expression for the given value of the variable. Show your work!

1) $9y - 3$ (for y = 11)	2) 7 <i>m</i> (for m = 5)	3) $d^2 - 2d$ (for d = 9)	13) 15 <i>e</i> + 37 (for e = 5)	14) 19r (for r = 8)	15) $x^2 + 2x + 4 + x$ (for x = 10)
4) 6q + 39 (for q=10)	5) 6 <i>v</i> (for v = 3)	6) j <sup>3</sup> + 11 (for j = 8)	16) 7(4 + <i>h</i> ) (for h=21)	17) 13 + w (for w = 26)	18) b - 15 (for b = 15)
7) $2k^2 + 5k + 2$ (for k = 11)	8) $\frac{n}{3} + n$ (for n = 27)	9) $a \div 3$ (for a = 42)	19) $\frac{y}{12} + y$ (for y = 72)	20) 3b <sup>2</sup> + 5b (for b = 2)	21) 8 <i>e</i> + 22 (for e = 42)
10) 4(11 + p) + 13 (for p = 89)	11) $h^3 - 2$ (for h = 7)	12) 14z - 1 (for z = 9)	22) $2x^2 - 11x + 6$ (for x = 12)	23) $p^3 - 4p$ (for p = 4)	24) 16(3 + <i>a</i> ) - <i>a</i> (for a = 13)

## **Using and Evaluating Formulas**

A formula is a mathematical rule written using variables, usually an expression or equation describing a relationship between quantities.

To **evaluate** or **solve** a formula, you substitute the number for the variable.

#### **Common Formulas**

Area of a rectangle =  $| \cdot w$ Surface Area of a Cube =  $6s^2$ Area of a triangle =  $\frac{1}{2}bh$ Volume of a Cube =  $s^3$ Area of a Trapezoid =  $h(\frac{b_{1+b_2}}{2})$ 

**Example 1**: Mary Lou is setting up a lemonade stand. Her rectangular sign is 3 feet long and 2.5 feet wide. If the formula for area of a rectangle is  $A = 1 \cdot w$ , what is the area of her sign?

A = I • W	$\rightarrow$ Step 1: Write the formula.
A = 3 ft • 2.5 ft	$\rightarrow$ Step 2: Substitute for the variable(s).
A = 7.5 ft²	ightarrow Step 3: Solve (in this case, multiply).

**Example 2:** Billy Bob needs to figure out the volume of a cube. It is 12 in tall. Help him find the volume, if the formula is  $V = s^3$ .


 $V = s^3$  $\rightarrow$  Step 1: Write the formula.V = 12 in  $\bullet$  12 in  $\bullet$  12 in  $\rightarrow$  Step 2: Substitute for the variable(s). $V = 144 \bullet 12$  $\rightarrow$  Step 3: Solve (in this case, multiply).V = 1728 in<sup>3</sup>

#### You Try:

- 1) What is the surface area of a cube that is 4 in. tall?
- 2) What is the area of a rectangle with a height of 8.5 cm and a width of 3 cm?
- 3) What is the area of a triangle with a height of 5m and a base length of 9m?
- 4) What is the area of a trapezoid that is 4cm high, with bases that are 10cm and 12cm long?
- 5) Why are formulas useful/helpful?

## Words and Phrases to Math Symbols

Words can be translated into math symbols to form expressions and equations. Here is a list of key words to look for.



## Writing Algebraic Expressions

Translating words into math symbols or math symbols into words can be done in many ways. Here are just a few examples.

Operation	Verbal Expressions	Algebraic Expressions
+	<ul> <li>add 3 to a number</li> <li>a number plus three</li> <li>the sum of a number and 3</li> <li>3 more than a number</li> <li>a number increased by 3</li> </ul>	n + 3
-	<ul> <li>subtract 12 from a number</li> <li>a number minus 12</li> <li>the difference of a number and 12</li> <li>12 less than a number</li> <li>a number decreased by 12</li> <li>take away 12 from a number</li> <li>a number less 12</li> </ul>	x – 12
Х	-2 times a number -2 multiplied by a number -the product of 2 and a number	$2m \text{ or } 2 \cdot m$
÷	<ul> <li>6 divided into a number</li> <li>a number divided by 6</li> <li>the quotient of a number and 6</li> </ul>	a ÷ 6

#### Example:

Translate the words into math symbols.

- add 43 to a number, n
   43 + n
- 2) a number, w decreased by 12.

w - 12

3) 8 less than a number y


y - 8

#### <u>You Try:</u>

- 1. add 43 to a number n
- 2. a number x divided into 25
- 3. 7 times a number e
- 4. take away a number c from 16
- 5. difference of a number q and 24
- 6. product of a number r and 41
- 7. 13 more than a number j
- 8. a number a less 49
- 9. a number v decreased by 28
- 10. a number b multiplied by 46
- 11. 30 minus a number h
- 12. a number *u* divided by 36
- 13. quotient of 23 and a number e
- 14. 8 less than a number y
- 15. subtract a number *m* from 19

16. 9 more than the twice a number a	Commutative & A	Associative Properties
17. sum of a number z and 34		ys that the order in which you <b>add</b> s not change the sum or product.
18. 3 increased by a number p	For any numbers a and b:	$a + b = b + c$ and $a \times b = b \times a$
19. 33 increased by a number u	Think commute, (like how you move position without chang	r <b>move</b> to work) the numbers can ing the outcome.
20. add 6 to a number <i>k</i>	when you add or multiply the	that the way you group numbers m does not change the sum or
21. take away a number <i>f</i> from 20	product. For any numbers a, <b>and</b> (ab)c = a(bc)	b or c: $(a + b) + c = a + (b + c)$
22. The difference of 9 and x	numbers can "hang out" in d	associate with your friends) the ifferent groups and not change
23. sum of a number b and 35	the outcome.	
24. a number x times 44	<u>Example:</u>	
	Which property is illustrated b	y each statement?
25. a number w decreased by 12	1) 13 + 14 = 14 + 13	2) $2 + (3 + 4) = (2 + 3) + 4$
26. a number j minus 10	<u>You Try:</u>	
27. 32 less a number t	1) $3 + 4 = 4 + 3$	2) 2(9) = 9(2)
28. 48 multiplied by a number q	3) xy = yx	4) $g + h + 2 = g + 2 + h$
29. 4 divided by a number s	5) (2 + 5) + 7 = 2 + (5 + 7)	6) $(6 \cdot 5) = 6 (5 \cdot x)$
30. difference of a number c and 2	7) 7 + m = m + 7	8) 3 (4 • 5) = (4 • 5) 3

## **Combining Like Terms**



**Part 1:** Look at the pictures of the farm animals below. Determine how many pigs, chickens, and horses there are.

Pigs:	Horses:

Chicken:

Part 2: Write an algebraic expression to show how many of each animal are on your paper. Instead of pictures, use variables to represent each animal. Use p for pig, c for chicken, h for horse.

**Part 3:** Simplify your algebraic expression by combining like animals.

**Part 4**: What if a horse got lost? How would you represent that in your expression?

## **More Combining Like Terms**

**Combining Like Terms** is like matching your socks. In the same way that we put our socks in matching pairs, we can combine like terms to put terms with the **same variables and exponents** together.

#### Examples:

- 2x and 3x have the same variable (x) to the same exponent (<sup>1</sup>), so they can be combined to make 5x.
- 5y<sup>2</sup> and 4y<sup>2</sup> have the same variable (y) and the same exponent (<sup>2</sup>), so they can be combined to make 9y<sup>2</sup>.
- 3) **8m** and **3m**<sup>2</sup> are <u>NOT</u> like terms because they do have the same variable, but not the same exponent.


Some helpful hints to make combining like terms easier.

 You can put different shapes around like terms before you combine them to make sure you don't miss any terms. Make sure you put the shape around the sign too!

$$6m + 2p + 3 + 4p - 2m + 4$$

2) You can also highlight like terms before you combine them to make sure you don't miss any terms. Make sure you highlight the sign too!

 $\frac{6m - 2m + 2p + 4p + 3 + 4}{2p + 4p + 3 + 4}$ 



## **Combining Like Terms Error Analysis**

Sally is a silly little girl who makes mistakes! In Column #1, analyze her work and <u>circle her mistake</u>. In Column #2, explain what she did wrong. In Column #3, show how Silly Sally should work out the problem correctly. Show ALL work!

Silly Sally's Work (Circle her mistake):	What did Silly Sally do wrong?	Show Silly Sally how it's done! (Show ALL steps!)
6x + 5x + 2y 11x + 2y 13xy		
$   \begin{array}{r}     3a^2 + 4a^2 - a^2 \\     7a^2 - a^2 \\     8a^2   \end{array} $		
m + 3m – 4m + 2m 4m – 4m + 2m 16m + 2m 18m		
$6y^{3} + 2y^{2} + 4y^{3} + 2y^{2}$ $8y^{2} + 4y^{3} + 2y^{2}$ $10y^{2} + 4y^{3}$		
13x + 5 + 17x - 4.5 + x 18x + 17x - 4.5 + x 35x - 4.5 + x 30.5x + x 31.5x		
$12r^{2} + 3 + 8rs + 4r^{2} - 16r^{2}$ $16r^{2} + 3 + 8rs - 16r^{2}$ $24r^{2}s + 3 - 16r^{2}$ $8r^{2}s + 3$		61
Pg.15a		

#### <u>You Try:</u>

1)  $5x + x^2 + 8y - 2x + 3x^2 =$ 

2) 
$$9 + 6k + 3 + 2k^2 + 3 + 7k^2 =$$

- 3) 12x + 3y 2a + 6y 5x =
- 4) 5 + 6m + 12 6m 17 =
- 5) 12h + 3p 9h + 3 3p =
- 6) 3x + 2y + x =
- 7) 8d + 2c 2d + c =
- 8)  $10b^2 + 10b + 10b^2 =$
- 9)  $7a + 3n + 3a^2 =$
- 10)  $3m^4 + m^2 + 2m^4 =$
- $11)\frac{1}{4}d + \frac{2}{3}g + \frac{1}{4}d =$

## **The Distributive Property**

Distri	butive Property				
Words	To multiply a sum by a number, multiply each addend by the number outside the parentheses.				
Example	Numbers $2(7 + 4) = 2 \times 7 + 2 \times 4$	$\frac{\text{Algebra}}{a(b+c) = ab + ac}$			

Think of the factor that is being distributed as the mamma bird. What happens when the mamma doesn't feed her babies? They die! Don't kill off the baby birds, make sure mamma feeds them all!

Problem
 
$$\textcircled{\textcircled{\baselineskip}{\baselineskip}}$$
 +/-
  $\textcircled{\baselineskip}{\baselineskip}$ 
 =
 Sum
 Product

#### Example

- **1.**  $10 \cdot 23 = 10(20 + 3)$ 
  - 10 20 + 10 3

200 + 30

230

#### <u>You Try:</u>

1) 12 • 41 2) 11 • 45 3) 2 • 123

**2.** Use the Distributive Property to rewrite 2(x + 3).

	2(x) + 2(3) 2x + 6	Distributive Property Multiply.	x 1 1	x 1 1
<u>You Try:</u>				
1) 8(x + 3)	2) 5	5(9 + x)	3) 2(x	+ 3)

**3.** Fran is making a pair of earrings and a bracelet for four friends. Each pair of earrings uses 4.5 centimeters of wire and each bracelet uses 13 centimeters. Write two equivalent expressions and then find how much total wire is needed.

Using the Distributive Property, 4(4.5) + 4(13) and 4(4.5 + 13) are equivalent expressions.

 $\begin{array}{rl} 4(4.5) + 4(13) = 18 + 52 & 4(4.5 + 13) = 4(17.5) \\ = 70 & = 70 \end{array}$ 

So, Fran needs 70 centimeters of wire.

#### You Try:

Each day, Martin lifts weights for 10 minutes and runs on the treadmill for 25 minutes. Write two equivalent expressions and then find the total minutes that Martin exercises for 7 days.

	Product	185							
4 DUIG.	Sum	150 + 35							180 + 30
о И	II	П	Ш	Ш	Ш	Ш	Ш	II	II
	چې کې	5•7				2•9			
כ	<b>'</b> +	+				+			
	-/+ 🍄 🙀	5 • 30				2•90			
	II	П	Ш	Ш	II	Ш	Ш	II	П
		7)	3)				5)		
	-'+	+	+				+		
	( 🔹 -/+ 📚 )	(30	(10				(30		
	<b>E</b>	5	12				7		
	Problem	5(37)	12(13)	100(52)	8(17)			4(14)	

## **The Distributive Property**

Solve these problems two ways, use the distributive property and the order of operations.

1) 5(9 + 11) 2) 12 (3 + 2)

Use the distributive property to rewrite the following expressions. Combine like terms if necessary.

3) 5(2 + 8)	4) 10(x + 2)	5) 14(a + b)
6) 12(a + b + c)	7) 7(a+b+c)	8) 10(3 + 2 + 7x)
9) 1(3w + 3x + 2z)	10) 5(5y + 5y)	11) 9(9x + 9y)
12) 2(x + 1)	13) 6(6 + 8)	14) 4(5v + 6v)
15) 3(2 + 6 + 7)	16) 2(3x + 4y + 10x)	17) 5(5x + 4y)

## Factoring

## Factor an Expression

When numeric or algebraic expressions are written as a product of their factors, the process is called **factoring the expression**.

Tutor

#### Example

#### 1. Factor 12 + 8.



Circle the common factors.

The GCF of 12 and 8 is 2 · 2 or 4.

Write each term as a product of the GCF and its remaining factor. Then use the Distributive Property to *factor out* the GCF.

Write the prime factorization of 12 and 8.

12 + 8 = 4(3) + 4(2)Rewrite each term using the GCE = 4(3 + 2)Distributive Property So, 12 + 8 = 4(3 + 2).

Factoring is the inverse of the distributive property. When you are factoring, you are looking to pull out the common factors that are in the addends. (You have to find the mamma and take her out!)

#### You Try:

Find the common factor (mamma bird) and factor it out of the expressions below.

1) 9 + 21 2) 14 + 28 3) 80 + 56

Final Expression	5x + 15					4x – 12	2j + 2	
II	Ш	Ш	П	П	Ш	П	Ш	II
چې چې	5•3			2•9	6•7			
	+			+	I			
-/+ 🍄 🙀	5 • X			2 • X	6 • b			
II	II	II	П	Ш	II	II	II	II
+/-	3)	5)	20)					- 32)
-/+	+	+	+					Т
<b>@</b>	X)	(y	(2b					(2c
Ŵ	5	7	10					8

Final Expression	8n – 40			15x + 30		3x + 33			
П	Ш	Ш	Ш	Ш	Ш	Ш	Ш	Ш	П
پ کیک			100 • 9		9•5			$\frac{1}{2} \bullet 4$	
-/+			+		I			+	
-/+ 📚 🙀			100 • × +		9 • Z			$\frac{1}{2} \bullet X$	
II	П	П	Ш	Ш	Ш	II	II	II	Ш
		7)					15)		10)
-/+		ı					,		+
( )		(3w					77 (9~		Ľ
<b>P</b>		12					77		.25

## **Factoring Practice**

Factor the expressions.

Factor the expressions.	
1) $20g + 45$	2) $40 + 64u$
3) 35 <i>d</i> + 21	4) 48 <i>n</i> + 4
5) 90 <i>s</i> + 80	6) 55 <i>r</i> + 44
7) 99 <i>n</i> + 45	8) 12 <i>m</i> + 22
9) 10 <i>c</i> + 8	10) 45 <i>g</i> + 81
11) 14 <i>m</i> + 16	12) 21 <i>y</i> + 9
13) 35 <i>d</i> + 40	14) 12 + 8p

## **Distributive Property Extra Practice**

Multiply or Factor the expressions using the Distributive Property.

	0)  Auttick = 7(2n+2)
1) Factor: $25g + 50$	2) Multiply: $7(3x + 2) =$
3) Multiply: $3(21x + 19) =$	4) Factor: $36n + 48$
5) Factor: $49s + 14$	6) Multiply: $6(3x + 7) =$
7) Factor: $5x + 15$	8) Multiply: $7(18m + 25) =$
9) Multiply: $10(c + 40) =$	10) Factor: 64 <i>g</i> + 68
11) Excham 21	10) Multicha 12(14, 122)
11) Factor: 21 <i>m</i> + 300	12) Multiply: $13(14y + 23) =$
13) Multiply: $7(13d + 2) =$	14) Factor: 120 + 80p
	·

#### **Distributive Property & Combining Like Terms**

Use the Distributive Property and Combine Like Terms.

Use the Distributive Hoperty und	
1) $7(2c + 5) + 3c =$	2) $8(3+2y) - 10 =$
3) $14g + 3(6 - 2g) =$	4) $4x + 9(x + 7) =$
5) $5 + 4(x + 3) - 10 =$	6) $23x + 5x + 6(x + 3) =$
7) $(5+x)4+5x =$	8) $15x + 7(5x + c) =$
9) $43(x+1) + 53x =$	10) $3.4(1.2x + 4.5) + 12 =$
11) $2(x + 14) + x + 31 =$	12) $1.2(x+7) - 2 =$
13) $8(a+2) + 2(2+3a) =$	14) $12(2e + 14) + e(4 + 5) =$