Unit 6 Statistics

Statistical Questioning Mean, Median, Mode & Range Dot Plots Frequency Tables Histograms Box Plots

Advanced Math 6 Unit 6 Calendar

2/4	2/5	2/6	2/7	2/8
Unit 6 Pre-Test MSG Set Up and Intro	Statistical Questioning	Mean, Median, Mode, Range & IQR	Mean, Median, Mode, Range & IQR	QUIZ
	IXL Skills Weel	c of 2/4: HH,1, HH.	2, GG.3, GG.4	
2/11	2/12	2/13	2/14	2/15
Dot Plots (Line Plots)	Frequency Tables	Histograms	QUIZ	Box Plots
	IXL Skills V	Veek of 2/11: GG	.6 & GG11	
2/25	2/26	2/27	2/28	3/1
February Break – No School 2/25 2/26 2/27 2/28 3/1				
Computer Lab	Box Plots	Box Plots	Review	TEST
IXL Skills Week of 2/25: GG.12 & GG.19				

Name: _____

Math Teacher:

Unit 6: Statistics Standards, Checklist and Concept Map

Georgia Standards of Excellence (GSE):

MGSES6.SP.1: Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers.

MGSE6.SP.2: Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.

MGSE6.SP.3: Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.

MGSE6.SP.4: Display numerical data plots on a number line, including dot plots, histograms, and box plots.

MGSE6.SP.5 : Summarize numerical data sets in relation to their context, such as by:

- a. Reporting the number of observations.
- b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement
- c. Giving augntitative measures of center (median/mean) and variability (interguartile range, mean absolute deviation), as well as describing any overall pattern or any striking deviations from the overall pattern with reference to the context in which the data was gathered.
- d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data was gathered.

What Will I Need to Learn??

- Know that a statistical question will receive many different answers
- To produce questions that include a variety of answer choices
- To interpret graph of data by describing its center, spread, and shape
- Know that mean, median, & mode describe the center of a set of data
- Know that range describes how much a set of data varies
- How to display data in a dot plot
- How to display data in a histogram
- How to display data in a box plot
- To describe the topic in question, including methods, units of measure
- How to calculate mean and median
- _____ How to find IQR (interguartile range) and MAD (mean absolute deviation)
- To explain outliers in data

	Required Skills		
	<u>Skill</u>	Your Score	
	HH.1 (Calculating Mean, Median, Mode & Range)		
of 2/4	HH.2 (Interpreting Charts & Graphs to find M, M, M & R)		
Week of 2/4	GG.3 (Interpreting Line Plots)		
	GG.4 (Creating Line Plots)		
of 2/11	GG.6 (Creating Frequency Tables)		
Week of 2/11	GG.11 (Interpreting Histograms)		
of 2/18	GG.12 (Creating Histograms)		
Week of 2/18	GG.19 (Interpreting Box & Whisker Plots)		

Optional Skills

Unit 6 Concept Map: Below, make a concept map of the standards listed above. Underline the verbs and circle the nouns they modify. Then, place those verbs on the connector lines of your concept map, and the nouns in the bubbles of the concept map.

GG.5 (Create and Interpret Line Plots with Fractions)

HH.3 (M, M, M & R: Find the missing number)

Unit 6 IXL Tracking Log

Unit 6 Vocabulary

Vocabulary Term	Definition
Box-and-Whisker plot (or "box plot")	A graph that uses a number line to show how data is distributed. It shows the maximum and minimum values of the data, along with the upper and lower quartiles and the median.
Dot plot	A graph in which each value is shown as a dot above a number line
Frequency	The number of times a value appears in a set of data
Frequency Table	A table that lists the number of times (frequency) that a piece of data occurs. This table is often used as a method of recording data.
Histogram	A bar graph used to display numerical data grouped in equal intervals.
Interquartile range (IQR)	The range between the upper and lower quartiles on a box plot. This represents the middle 50% of the data.
Maximum value	The largest number in a set of data, and the endpoint of one whisker on a box plot.
Mean	The "average" of a set of data, found by adding all values in a set of data and dividing by the number of values you added.

Unit 6 Vocabulary

Vocabulary Term	Definition
Measures of center	A number that describes the middle of the data.
Measures of spread (or variation)	A number that describes how spread out the data is. (how much the data varies)
Median	The middle number when a set of data is arranged in order.
Minimum value	The smallest number in a set of data, and the endpoint of one whisker on a box plot.
Mode	The number that occurs the most in a set of data.
Outlier	A value that is far away from most other values in a data set.
Range	The difference between the highest and lowest values in a set of data.
Stem-and-leaf plot	A graph that organizes numerical data by splitting each piece of data into a "stem" and a "leaf", which each represent place value.

Unit 6 Vocabulary

Unit 6 Vocabulary

Vocabulary Term	Definition
Box-and-Whisker plot (or ''box plot'')	
Dot plot	
Frequency	
Frequency Table	
Histogram	
Interquartile range (IQR)	
Maximum value	
Mean	

Vocabulary Term	Definition
Measures of center	
Measures of spread (or variation)	
Median	
Minimum value	
Mode	
Outlier	
Range	
Stem-and-leaf plot	

Understanding Statistical Questions

A **STATISTICAL QUESTION** is a question that can have a variety of answers.

<u>Examples</u>	<u>Non-Examples</u>
How many books did my friends read this summer?	How many pages are in the <u>Hunger Games</u> ?
How tall are my classmates?	How old am I?
Write a few examples here:	Write a few non-examples here:

Statistical example or not? Circle one choice.

What grades did the students in my class score on the test? **EXAMPLE** or **NOT**

How many marbles in the jar? **EXAMPLE** or **NOT**

What does this apple cost? **EXAMPLE** or **NOT**


How fast can dogs run 100 yards? **EXAMPLE** or **NOT**

How old are each of the 6th grade teachers at East Cobb Middle School **EXAMPLE** or **NOT**

YOU TRY:

Write 4 examples of statistical questions below:

2)	
)	
.)	
٩r	e the following examples of statistical questions?
5)	How many days are in March? EXAMPLE or NOT
	How many days are in March? EXAMPLE or NOT How many pets does each of my friends have?
5)	How many pets does each of my friends have?
6)	How many pets does each of my friends have? EXAMPLE or NOT
6) 7)	How many pets does each of my friends have? EXAMPLE or NOT What did my students score on their Unit 4 test?
6) 7)	How many pets does each of my friends have? EXAMPLE or NOT What did my students score on their Unit 4 test? EXAMPLE or NOT
6) 7) 8)	How many pets does each of my friends have? EXAMPLE or NOT What did my students score on their Unit 4 test? EXAMPLE or NOT What was the winning score in the last 20 Super Bowls?
6) 7) 8) 9)	How many pets does each of my friends have? EXAMPLE or NOT What did my students score on their Unit 4 test? EXAMPLE or NOT What was the winning score in the last 20 Super Bowls? EXAMPLE or NOT



Let's take a look at the two araphs above, and see what you

notice about their **CENTER**.

The **CENTER** of Graph A is about 3.

The **CENTER** of Graph B is about _____.

What does this tell you?

The of a set of data aives a auick snapshot of its characteristics.


0 1 1	
You want to look for things like	(groups of
data close together),	(a ''hole''
where no data is present),	(a piece
of data that is far from the rest and	(the
highest point on the graph – the mode)	
Hours watching TV in one week.	
cluster ** * peak	
x x x x x x x	\frown

gap

outlier

pg. 6b

Data can also be skewed based on the relationship between the Mean, Median and Mode. The way we describe the skew is based on the direction of the "tail".



Now, look at the **SHAPE** of both graphs.

Which graph is skewed left? _____

Do either of the graphs have an outlier?

What is the peak of Graph B? _____

Does Graph A have any gaps? _____

Measures of Center: Mean, Median & Mode

Mean (a.k.a. "average")

You find the mean by: _____


Example: Find the mean of 6, 4, 10, 11 and 4.

Solution: 6 + 4 + 10 + 11 + 4 = 35


 $35 \div 5 = 7$; The mean of this data is 7.

You Try: Find the mean of 8, 33, 20, 11, 6 and 12.

Median (a.k.a. "the middle")



Example: Find the median of 2, 8, 9, 5, 6, 7, and 4.



You Try: Find the median of 8, 33, 20, 11, 6, and 12.

Mode (a.k.a. "the most")

The mode is the number that occurs the ______ in a set of data. You will have ______ if all of the numbers in your data have the same frequency. You will have ______ than one mode if more than one number occurs most in a data set.

Example: Find the mode of 6, **4**, 10, 11, and **4**. Mode = **<u>4</u>**

<u>You Try:</u>

a. Find the mode of 8, 33, 20, 11, 6, and 12.

b. Find the mode of 1, 3, 4, 1, 5, 6, and 3.

c. Find the mode of 15, 62, 76, and 62.

More Practice: Find the mean, median and mode for the following data:

3, 5, 13, 6, 1, 2, 3, 2, 1

Mean: _____

Median: ______
Mode: _____

100, 111, 122, 133, 144, 155, 166

Mean: _____

Median:

Mode: _____

84, 140, 105, 119, 105, 84, 105

Mean: _____

Median:

Mode: _____

Mean, Median & Mode Extra Practice

1) What is the **median** of the following set of numbers?

{1, 2, 4, 6, 4}

Measures of S P R E A D (variation): Range & Interquartile Range (IQR)

<u>Measures of Spread</u> tell you how spread out your data is, or how much it varies.

Range: the difference between the _____ and

_____ values in a data set (simply subtract the

highest and lowest numbers!)

Maximum Value Minimum Value <u>Example</u>: 20, 13, 22, 17, 28 10 25 Range

25 **Range** \rightarrow 28 – 10 = 18

You Try: Find the range for the following data.

1) 34, 15, 9, 33, 27, 12, 27, 25, 30 _____

2) 8, 90, 5, 80, 27, 50 _____

3) 5, 4, 3, 5, 4, 2, 2, 6


- 4) 35, 41, 68, 35, 83 _____
- 5) 5, 7, 5, 9, 6, 5, 5, 8, 4 _____

What does a LARGE range tell you about the data? _____

What does a SMALL range tell you about the data?

Interquartile Range (IQR): The range between the upper and lower quartiles on a box plot. This represents the middle 50% of the data. Simply subtract the upper and lower quartiles $Q_1 - Q_3$.

Interquartile Range (IQR)




How to find the IQR:

- 1) Put the data in order from least to greatest.
- 2) Find the Median.
- 3) Separate the numbers below and above the median.
- Find the medians of the lower (Q1) and the higher (Q3) group.
- 5) Subtract those two medians to get the IQR.


You Try: Based on the Box Plot above, answer the following questions.

- 1) What is the median? _____
- 2) What is Q1? _____
- 3) What is Q₃? _____
- 4) What is the IQR? _____



- 1) What is the median? _____
- 2) What is Q1? _____
- 3) What is Q₃? _____
- 4) What is the IQR? _____

Measures of Center and Spread Summary



Extra Practice

1) Write an example of a statistical question.

2) Write a non-example of a statistical question.

Matching: Match the following measures of center with the key word to remember what they find.

- 3) Mean4) Medianb) average
- 5) Mode

6)

7)

b) average c) most

Find the mean, median, mode, range and IQR for the following data.

5, 12, 8, 16, 12, 19	
Mean:	Median:
Mode:	Range:
IQR:	
5, 7, 5, 9, 6, 5, 5, 8, 4	
Mean:	Median:
Mode:	Range:

Mode: _____


8) 38, 42, 36, 17, 38, 21, 24, 38

Aean:	Median:
Node:	Range:
QR:	

Dot Plots (Line Plots)

A dot plot (also called a line plot) is used to easily organize large sets of data. It is a graph in which each value is shown as a (or and x) above a number line. Each dot (or x)

represents _____ response.



 Only 2 people read _____ books last summer.


How to make a dot plot?

- 1) Draw a number line.
- 2) Mark off the minimum and maximum values and ALL numbers in between.
- 3) Make a dot (or x) for EACH data value above its number on the number line. Take care to make it neat and easy to read.
- 4) Title your dot plot.

Example:

Number of Jolly Ranchers eaten per day:

1, 2, 4, 3, 5, 2, 3, 6, 1, 0, 0, 5, 2, 3, 3, 3



<u>You Try:</u>

Use the sets of data below to create dot plots and then use the data to find the mean, median, mode and range.

1) Number of siblings:

```
3, 2, 0, 4, 1, 1, 1, 2, 1, 3, 5, 3, 4, 0, 2, 1, 0, 8
```


Mean:	Median:
Mode:	Range:
Outliers:	Min: Max:

2) Number of downloaded apps on teens' cell phones:
8, 12, 10, 15, 11, 20, 12, 12, 9, 10, 11, 13, 12, 9, 10, 13, 11, 13, 9, 12, 14, 9, 12, 15, 10, 11


		1	1		1	1	1	1	 →
			-	-					2
Mean:				Ме	dian	:			
Mode:				Rar	nge:				
Outlier	s:		_	Min	:		_ Mc	x: _	

Interpreting Dot Plots (Line Plots)

Use the data in the dot plot to answer questions 1-4.



- 1) What is the mean number of shells collected?
- What is the median number of shells collected?
- 3) What is the mode? _____
- 4) What is the range? _____



Fourteen students were surveyed about the time they spend exercising and playing video games each week. Compare the data by answering the questions 5-8.

5) What is the **range** for the hours of exercise?

5)	
	For playing video games?
6)	What is the mode for exercise?
	Playing video games?
7)	What is the median hours spent exercising?
	Playing video games?
8)	What is the mean number of hours spent exercising?
	Playing video games?
Pa.	12g

Frequency Tables

_____ displays data that has been

collected.

Season Soccer Scores

Score	Tally	Frequency
1		1
2		1
3		3
4		1
5	////	4

Intervals & Frequency Tables

Number of Cups of Coffee

Intervals	Tally	Frequency
0 – 3		2
4 – 7		3
8 – 11	THL III	8
12 – 15		3
16 – 19		2

Intervals must be:

1) _____ 2) _____ 3)

You Try: If your data ranges from 2 to 38, are the intervals below good (in) or bad (in)

870

970

87.

81.

SID

SIC

SIT

50


- 1) 1-10, 11-20, 21-30, 31-40
- 2) 1-10, 10-20, 20-30, 30-40
- 3) 1-10, 11-15, 16-35, 36-40
- 4) 1-8, 9-16, 17-24, 25-32, 33-40 🌆 🐢
- 5) 1-10, 11-20, 21-30

Histograms

A _____ is a bar graph used to display numerical data grouped in equal intervals.

Example:

The students of Monster High took a survey of the ages of everyone attending the "Ghouls Rule" Movie. The results are displayed in the histogram below.



1) How many people from ages 10-19 attended the movie?

2) How many people aged 50 or over attended the movie?

- 3) How many kids younger than 20 attended the movie? _____
- 4) How many total people attended the movie?
- 5) What does the gap at the interval 40-49 mean?

6) Can you tell whether a 25-year-old attended the movie? _____ Why or why not? _____

7) Why must the bars on a histogram always be touching (unless there is a gap in data)?

Making a Histogram

Determining Intervals

Look at your data. What is the best way to break that data up?

Examples:

Data Range	Scale	Intervals
3 to 46	0 – 50	0-10, 11-20, 21-30, 31-40, 41-50
1 to 248	0 - 300	0-50, 51-100, 101-150, 151-200, 201-250
4.1 to 5.4	4 – 5.5	4-4.2, 4.3-4.5, 4.6-4.8, 4.9-5.1, 5.2-5.4
52 to 964		

Example:

Pages Read per Student Last Weekend								
78	15	40	19	188				
50	122	96	37	102				

The data ranges from _____ to ____. The scale will go from _____ to ____. We can use the interval of _____.

Make a frequency table:

Pages Read per Student Last Weekend								
NUMBER:	1-50	51-100	101-150	151-200				
TALLY:	THL	//	//	/				
FREQUENCY:	5	2	2	1				

Use the information in the frequency table on the previous page to create a histogram for the data.

Pages Read per Student Last Weekend								
NUMBER:	1-50	51-100	101-150	151-200				
TALLY:	THL	//	//	/				
FREQUENCY:	5	2	2	1				


Title: _____

Make a histogram for the following data:

How many songs are on your phone?


50, 33, 100, 202, 114, 44, 45, 203, 123, 176, 225, 15, 23, 111, 132, 156, 210, 43, 65, 66, 83, 90, 15, 140, 199, 134, 56, 14, 2

Number			
Tally			
Frequency			



Box Plot (Box & Whiskers Plot)

A box plot (a.k.a. "box and whisker plot") uses a _____ line to show how data is distributed. It shows the _____, the maximum and _____ values, which are also called the upper extreme and lower _____, and the upper and _____ quartiles.




Example:


The list below shows the number of model airplanes owned by the members of the aviation club. Draw a box plot of the data.

6, 8, 10, 10, 10, 11, 12, 14, 16, 18, 27

- 1) Order the numbers from least to greatest. Then draw a number line that covers the range of the data.
- 2) Find the median, the extremes, and the first and third quartiles. Mark these points above the number line.




- 3) Draw the box so that it includes the quartile values. Draw a vertical line through the median value. Extend the whiskers from each quartile to the extreme data points.
- 4) Title your box plot!



<u> Tip:</u>

One key understanding about box plots is that each section represents 25% of the data. If one section is large, that tells you that the numbers in that section are more spread out. If the section is small, that tells you the data is closer together.


In the box plot below, you can see that the whisker for the upper quartile is much smaller than the whisker for the lower quartile. However, they both have the same number of data values. What does this tell you?



You Try:


1) Use the box and whiskers plot to answer the following questions:

Student Cell Phones per 6th Grade Class



- a) What is the lowest number of students with cell phones in the data?
- b) What is the highest number of students with cell phones in the data?
- c) What is the median number of students with cell phones?
- d) What is the range of students with cell phones?

2) Use the box and whiskers plot to answer the following questions:




3) The heights of students on the soccer team, in inches, are: 56,

69, 60, 64, 63, 68, 68 and 66. Make a box plot for this data.

Extra Practice


1) Make a line plot for each set of data. Find the mean, median, mode, range, and any outliers of the data shown in the line plot.



2) The table shows the daily soda sales for a restaurant. Choose intervals, make a frequency table, and construct a histogram to represent the data.

N	umbe	r of So	das Sc	ld Dai	ly
56	86	74	63	51	94
86	72	53	77	74	88
81	90	72	76	84	92
78	89	85	75	91	87

3) Use the data to create a box and whiskers plot. Find the Median, Q1, Q3, Minimum and Maximum {2, 3, 5, 4, 3, 3, 2, 5, 6}.



4) Describe how you know a question is a statistical question.

5) Find the mean, median, mode, range, IQR and Outliers for the following data.

 1, 5, 9, 1, 2, 4, 8, 2

 Mean:


 Mode:

 IQR:

Max: _____

For Exercises 6 – 9, use the histogram at the right.


- 6) Which interval represents the least number of flowers?
- 7) Which interval has 5 flowers?
- 8) How many flowers are 24 inches tall or shorter?



9) How many flowers are at least 37 inches tall?

For Exercises 10 – 13, use the histogram shown at the right.

- 10) Which interval represents the most number of students?
- 11) Which interval has three students?
- 12) How many students went to a pool at least ten times last summer?
- 13) How many students went to a pool less than ten times last summer?



Number of Visits

Unit 6 Study Guide

1)	What are the measures of center?
2)	How do you calculate the mean?
3)	How do you calculate the median?
4)	What are the measures of spread?
5)	How do you calculate the range?
6)	How do you calculate the interquartile range (IQR)?
7)	What do you look for in the shape of data?
8)	Big Bob scored the following points at eight basketball games: {21, 24, 9, 11, 16, 7, 24} Calculate the following: a. Mean: b. Median: c. Mode: d. Range:
9)	What is a statistical question?
	Give an example:
	Give a non-example:

10) Use the following data to create a box plot:

	Ages of Students Who Downloaded "Divergent"					nloade	d "Dive	ergent"		Number of Jumping Jacks in 1 Minute
	10 1	8	17	12	13	15	15	14	14	8
							treme		: :	
										20-29 30-39 40-49 50-59 -60-69 # of jumping jacks
	◀									14) According to the histogram, how many students can do more
										than 49 jumping jacks in 1 minute?
11) V	Vhich me	asure	e is MC	DST aff	ected	by an o	outlier	?		15) How many students participated in the survey?
С	ı) Mean	b) Mec	lian	C)	Mode		d) Ran	ge	16) Which interval represents the mode of the histogram?
101					<i>.</i> .			17) How many people did EXACTLY 45 jumping jacks?		
12) 1	2) Identify the IQR from the box plot below:					18) Circle the set of intervals that CAN be used for the data in the histogram. Explain why the others cannot be used:				
	•							-•		a) 0-3, 4-7. 8-11, 12-15, 16-19
										b) 0-1, 2-5, 6-7, 8-18
5	0 53	56	59	62	65	68 7	1 7	4 77	80	c) 1-2, 3-4, 5-6, 7-8, 9-10
	Jse the b									d) 0-5, 5-10, 10-15, 15-20
-		-								Sit-Ups Completed by Students During a Fitness Test
C)	Minimum Median:				d) Up	poer Q				13 13 10 14 13 12
	Maximu									
	What pe									
-	What pe									
i) 1	[he data	İS (Circ	le One):	symm	netrica	skew	ed rigł	nt ske	wedle	eft

Use the Histogram below to answer questions 14-18.