Unit 7 Rational Explorations Numbers & their Opposites

Number Lines Real World Representations Absolute Value Order Rational Numbers Graph on Coordinate Plane Distance on Coordinate Plane Reflect on Coordinate Plane Draw Polygons on Coordinate Plane

Name: _____

Math Teacher:

	<u>Required Skills</u>	
	<u>Skill</u>	Your Score
Week of 1/27	M.1 (Understanding Integers)	
	M.2 (Integers on Number Lines)	
	M.3 (Absolute Value and Opposites)	
	M.New! (Understanding Opposite Integers)	
	M.4 (Graph Integers on Horizontal & Vertical Number Lines)	
ě	M.5 (Comparing Integers)	
We	M.6 (Ordering Integers)	
	M.7 (Put Integers in Order)	
	M.8 (Integer Inequalities with Absolute Values)	
	M.9 (Absolute Value and Integers: Word Problems)	
	P.New! (Rational Numbers on Number Lines)	
	P.1 (Rational Numbers: Equal or Not Equal)	
	P.2 (Compare Rational Numbers)	
2/3	P.3 (Put Rational Numbers in Order)	
ę	X.1 (Objects on Coordinate Planes)	
Week of 2/3	X.2 (Graph Points on a Coordinate Plane)	
8 Ø	X.3 (Quadrants)	
	X.4 (Coordinate Planes as Maps)	
	X.5 (Distance Between Two Points)	
	X.6 (Follow Directions on a Coordinate Plane)	

Unit 7: Rational Explorations: Numbers & their Opposites Standards, Checklist and Concept Map

Georgia Standards of Excellence (GSE):

MGSE6.NS.5: Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, debits/credits); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

MGSE6.NS.6: Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.

MGSE6.NS.6a: Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., -(-3) = 3, and that 0 is its own opposite.

MGSE6.NS.6b: Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.

<u>MGSE6.NS.6c</u>: Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane

MGSE6.NS.7: Understand ordering and absolute value of rational numbers.

<u>MGSE6.NS.7a</u>: Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram.

<u>MGSE6.NS.7b</u>: Write, interpret, and explain statements of order for rational numbers in real-world contexts.

<u>MGSE6.NS.7c</u>: Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation.

MGSE6.NS.7d : Distinguish comparisons of absolute value from statements about order.

MGSE6.NS.8: Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.

MGSE6.G.3: Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.

What Will I Need to Learn??

 How to describe real-world situations using positive and negative numbers

 To represent numbers as locations on number lines

 To understand opposites (inverses) on a number line

 To graph ordered pairs (including negatives) on a coordinate plane

 To understand that opposites in ordered pairs indicate a reflection on a coordinate plane

 Interpret inequalities, comparing two numbers on a number line

 Order rational numbers

 Understand absolute value (distance from zero)

 Compare and order absolute value

 Determine the distance between points on a coordinate plane

 Draw polygons in the coordinate plane, given the coordinates for the vertices

Math 6/7 Unit 7 Calendar

1/27	1/28	1/29	1/30	1/31
Unit 7 Pre- Test; MSG; Unit 6 Project Gallery Walk	Intro to Integers; Graphing on a Number Line	Comparing and Ordering	Absolute Value; Short Quiz	Graphing on a Coordinate Plane
2/3	2/4	2/5	2/6	2/7
Distance Between Points; Drawing Polygons; Reflections	Mercedes Benz Field Trip	Computer Lab	Mini Post- Test; Review	Unit 7 Test

Unit 7 Vocabulary

Vocabulary Term	Definition
absolute value	The distance between a number and zero on a number line.
coordinate plane	A plane, also called a coordinate grid or coordinate system, in which a horizontal number line and a vertical number line intersect at their zero points. (0,0)
Inequality	A statement that compares two quantities using the symbols >, <, \geq , \leq , or \neq .
integer	Any number from the set {4, -3, -2, -1, 0, 1, 2, 3, 4} where means continues without end.
negative integer	A number that is less than zero.
Opposites	Two integers are opposites if they are represented on the number line by points that are the same distance from zero, but on opposite sides of zero. The sum of two opposites is zero.
ordered pair	A pair of numbers used to locate a point in the coordinate plane. An ordered pair is written in the form (x-coordinate, y-coordinate).
Origin	The point (0, 0) in a coordinate plane where the x- axis and the y-axis intersect.
positive integer	A number that is greater than zero. It can be written with or without a + sign.
Quadrants	The four regions in a coordinate plane separated by the x-axis and y-axis.
Reflection	A transformation in which a figure or ordered pair is flipped over a line of symmetry.
Sign	A symbol that indicates whether a number is positive or negative.
x-coordinate	The first number in an ordered pair. (It tells you how far left or right to go from the origin.)
y-coordinate	The second number in an ordered pair. (It tells you how far up or down to go from the origin.)

Unit 7 Vocabulary – <u>You Try</u>

Vocabulary Term	Definition
absolute value	
coordinate plane	
inequality	
integer	
negative integer	
opposites	
ordered pair	
origin	
positive integer	
quadrants	
reflection	
sign	
x-coordinate	
y-coordinate	

Unit 7 Study Guide

Knowledge and Understanding

1) What does the absolute value of a number tell you about the


number?

2) Describe how to use a number line to order integers.


Proficiency of Skills

- 3) Evaluate |-15| = _____
- 4) Evaluate |2| = _____
- 5) Order from least to greatest: -10, 0, |-12|, -12, |-9|

6) Plot and label the following points on the coordinate plane A (-3, 2) B (0,-3) C (-2, -10) D (8,-5)



7) Finish labeling the number line below. Plot a point on 4 and its opposite.



Application

8) Kellen has reached the peak of Mathclassrocks Mountain at 1,000 feet above sea level. He hikes down 400 feet to check out an old cannon. How many more feet must he hike to reach sea level ? (Hint: Drawing a picture may help to visualize the problem!!)

9) The table below shows today's temperature for 5 cities in

Alaska.


City	McKinley Park	Bethel	Fairbanks	King Salmon
Temperature	-22	-11	-20	-13
(°Celsius)	-22	-11	-20	-15

a) Write an inequality statement comparing the temperature

of King Salmon and Bethel: _____

b) Order the cities from warmest to coldest:


10) Graph point A (4, -8) on the coordinate plane.



- a) Reflect the point across the x-axis. (reflection is in purple)
- b) What is the distance between point A and the reflected point? <u>16</u> units


Justify your answer: <u>The original point is 8 units from the x-axis</u>, and the reflected point is also 8 units from the x-axis. 8 + 8 = 16 units.

11) Andrew owes \$6.50 in late fees to the library. Represent this value on the number line below. Mark the point A (Hint: If he OWES, is that a positive or negative number?)



- a) Hayleigh owes \$0.50 in late fees to the library. Plot a point for this value on the number line. Mark the point **H**.
- b) How much more does Andrew owe than Hayleigh?

<u>Use the map below for questions 12 – 14.</u>




12) Name the ordered pair that represents the location of the gas station. (4, 4)

13) How many blocks apart are the hospital and the cemetery?9 blocks

14)Name the building that is located in quadrant 3. hospital

15)Graph (7,-3) and (7, 5) on the coordinate plane to the

right.




- a) Reflect both points across the y-axis to form the vertices of a rectangle.
- b) Name the two reflected ordered pairs: (-7, -3) & (-7, 5)
- c) What is the perimeter of the rectangle? 44 units
- d) What is the area of the rectangle? 112 square units

16) If you reflected the ordered pair (-2, 5) across the x-axis, what would be the coordinates of the reflection?


a) (-2, -5) b) (2, 5) c) (2, -5) d) (-2, 5)

17) Which statement below is NOT true?

- a) -3 < -1
- b) -2≥-5
- c) -4 ≤ -14
- d) -3 < 4
- 18) It is 89 degrees above zero in Miami. It is 20 degrees below zero in Anchorage. Use the number line below to determine how many degrees warmer it is in Miami than in Anchorage.




19) A Bolivian monkey is jumping around on a number line. He starts at -3 and jumps 8 units to the right. Where is he now on the number line?



Performance Task


20) A newly developed neighborhood has dedicated a portion of their land to be used as a children's playground. The neighborhood would like to build a fence around a rectangular <u>area of 100 square yards</u> for a dog run. The coordinate planes below each represent the dedicated land. Each square on the grid represents one square yard. <u>Each yard of fencing costs \$12</u>. Develop <u>two</u> plans for the neighborhood to choose from.

Label the coordinates of the vertices and **determine the price** of the fencing for each plan (based on the perimeter). Then write a letter to the neighborhood explaining which design you recommend and why.



Using Integers to Represent Real-World Situations

Integers are whole numbers and their opposites. A number line shows both positive and negative integers.



You can use an integer to represent a situation. Positive integers show an increase or gain, or a location above or to the right. Negative integers show a decrease or loss, or a location below o to the left.

Represent each situation with an integer.


1. Kevin lost 8 pounds.	 An elevator rose 6 floors. 	3. A plant grew 5 cm.
 A football team lost 9 yards. 	5. The temperature dropped 2 degrees.	6. A location is 3 miles above sea level.
7. Max deposited \$14 in his account.	8. Dinner cost Marci \$9.	9. Six students transferred out of the school.
 There are fourteen hours before the start of a game. 	 Eleven people boarded a bus. 	12. Beth saved \$27.
13. A diver swims 12 feet below the water's surface.	 The top of a building is 32 feet above the sidewalk. 	 The bottom of a mine shaft is 18 feet below the ground.
16. A gain in altitude of 500 feet	17. Randy withdrew \$35 from his account.	 The low temperature for the day was 23 degrees below zero.

Integers & Graphing on a Number Line

are whole numbers and their opposites.

numbers are greater than zero.

_ numbers are less than zero.



Example: Write an integer for each situation.

- a) A 10-yard loss in football can be represented as -10.
- b) Earning \$20 can be represented as **-20**.
- c) Spending \$6 can be represented as -6.
- d) 16 feet under the ground can be represented as -16.

Key Words:			
<u>Positive</u>	<u>Negative</u>		


©Discovery Education. All Rights Rest

You Try: Write an integer for each situation.

1) a profit of \$60	2) a decrease of 10°
3) a loss of 3 yards	4) a gain of 12 ounces
5) a gain of \$2	6) 20° below zero


Example:

Graph the set of integers $\{-5, -2, 3\}$ on a number line.




<u>You Try:</u>

1) Graph the set {-6, 5, -4, 3, 0, 7} on a number line.




2) Graph the set {-5, 1, -3, -1, 3, 5} on a number line.



Opposites

Positive numbers, such as 2, are graphed to the _____ of zero on a number line. Negative numbers, such as -2, are graphed to the _____ of zero on a number line.

Opposites are numbers that are the same ______ from zero in opposite directions. Since 0 is not negative or positive, it is its own opposite.



Example:

Find the opposite of the given number.

1) The opposite of -12 is: 12 2) The opposite of 8 is: -8

You Try:

Find the opposite of the given number.

- 1) The opposite of -5 is: 2) The opposite of **0** is:
- 3) The opposite of 100 is: 4) The opposite of -34 is:
- 5) The opposite of -13 is: 6) The opposite of 7 is:

7) The opposite of -1000 is: 8) The opposite of 50 is:

9) The opposite of the opposite of -48 is:

Absolute Value

WORDS The absolute value of a number is the		Find the <u>opposite</u> of each integer.			
	between the number a	nd zero on a number line.	1. 10	2. –25	3. 82
MODEL	-6-5-4-3-2-1 0 1 <	23456			
	5 units	5 units	Find the <u>opposite of the o</u>	<u>pposite</u> of each integer.	
SYMBOLS	5 = 5 The absolute	value of 5 is 5.	4. -4	5. –15	6. 8
	-5 = 5 The absolute	value of -5 is 5.			
	is	always!	Evaluate each expression		
Absolute • <u>Example:</u>	value is a distance and d	istance is always positive.	7 . 31 + -5	8 . -16 - 4	
125 = 1	25 -5 +	25 = 5 + 25 = 30			
	= 8 - 5 = 3 - -16	= -16	9. ₋₂₈ - ₋₁	10 . 11–2	
<u>You Try:</u>					
Find the a	bsolute value for each of	the problems below.			
1) 25	2) -150	3) - 379	11. 44 + -34	12. -101 -	_1
4) -2486	5) 1273	6) - -68			
7) -5 +	16 8) -30 - -12	7) -7 + 13 + 49	change in the stock price. The net chan	nge for a certain stock is the 's closing price from the pr ges of three stocks were –3 greatest absolute value?	revious day's closing
 Graph -6 on the number line below and show that it is a distance from zero. 			town is -435. What is the absolute value of this population		
-10 -9 -8	-7 -6 -5 -4 -3 -2 -1 0 1 2 3	4 5 6 7 8 9 10	change?		

Absolute Value Practice

Above and Below Sea Level

Above and Below Sea Level	<u>Meters</u>
In the space to the right, draw the following and then answer the questions below to discover the shipwreck's treasure.	+80
A wavy line for sea level, a bird at +10 meters , a diver at +20 meters, an airplane taking off at +70 meters , a fish at -20 meters, a whale at -50 meters , a shipwreck at -90 meters, an underwater diver at -30 meters , a boat at sea level, and a submarine at -70 meters . Also draw a cliff with a height of +80 meters.	+70 +60
What is the treasure in the shipwreck? To find the treasure, draw the items on the next page and then answer the questions below and write the letters in the spaces that represent the correct answers.	+50 +40
1) How many meters from the top of the cliff to the (O) shipwreck?	+30
2) How many meters from the whale to the submarine? (S)	+20
 3) How many meters from the airplane to the boat? (A) 4) How many meters from the fish to the whale? (E) 	+10
 4) How many meters from the fish to the whale? (E) 5) Which is farther from the submarine, the fish or the (I) whale? How far is it from the submarine? (I) 	sea level 0
 6) Which is closer to the shipwreck, the fish or the underwater diver? How far is it from the shipwreck? (L) 	-10
7) The whale swims to sea level and then swims to the (R) (R)	-20
8) The submarine rises to sea level and then dives to the bottom of the sea. How far does the submarine travel in all? (P)	-30
 9) The boat springs a leak and sinks to the bottom of the sea. How many meters did it sink? (M) 	-40
10) The underwater diver wants to reach the submarine, (N) how much farther does he need to swim?	-50
11) The diver makes 3 trips from the boat (before it sinks) to the shipwreck. How many meters will he travel? (D)	-60
540 50 70 90 170 40 540 20 70 40 540	-70
	-80
160 30 70 140 60 20	-90
Pg.10a	pg. 10b

Comparing Integers & Absolute Values

To ______ integers, you can compare signs as well as the magnitude, or size, of the numbers. Greater numbers are graphed farther to the _____.

If two numbers are different signs, the _____ number is always greater than the negative number.

If two numbers are the same sign, use a _____ line to determine which number is greater.

Compare the signs.

Positive numbers are greater than negative numbers. So, 2 > -3.

Compare the position on the number line.

-3 -2 -1 0 1 2 3 Since -2 is farther to the right, -2 > -3.

Don't forget, alligators always eat the bigger number.





You Try:

1) 8 -6	2) -6 6
3) -122 300	4) -4 4
5) -12 9	6) -21 0
7) 1 -1	8) -24
9) 4 4	10) 20 0

Ordering Integers & Absolute Values

You can use a number line to order a set of integers. _____ can be ordered from least to greatest or from greatest to least.

Example:

Order the set $\{-9, 6, -3, 0\}$ from least to greatest.



Graph the numbers on a number line.

-10-9-8-7-6-5-4-3-2-1 0 1 2 3 4 5 6 7 8 9 10

The order from left to right is -9, -3, 0, and 6.

Method 2 Compare signs and values.

Compare negative numbers. Then compare positive numbers. The negative integers are -9 and -3. -9 < -3The integer 0 is neither positive nor negative. The positive integer is 6.

So, the order from least to greatest is -9, -3, 0, and 6. Before you put absolute values in order, find their value.

Example:

Put the following numbers in order from LEAST to GREATEST: |6|, |-12|, |-2|, |1|

|6| = 6 |-12| = 12 |-2| = 2 |1| = 1


From least to greatest: |1|, |-2|, |6|, |-12|

You Try: Order from least to greatest.	Extra Practice		
1) 0, 3, –21, 9, –89, 8, –65, –56	For #'s 1-4, write an integer for each situation:		
	1) 45 feet below sea level 2) a gain of 8 yards		
2) 70, –9, 67, –78, 0, 45, –36, –19	3) a deposit of \$528 4) 10 pound loss		
	5) Graph the set {-4, 3, 0, -3, 7, -5} on the number line.		
3) . 0, -1, -2 , 3	-7-6-5-4-3-2-1 0 1 2 3 4 5 6 7		
	6) The opposite of -57 is: 7) The opposite of -43 is:		
	8) The opposite of 1000 is: 9) The opposite of 325 is:		
4) -24, -20 , 21, -26	Find the absolute value for each of the problems below.		
	10) 4 11) -41 12) - 11		
5) . 1 , -1, -2 , -2	13) -125 14) 526 15) - -3		
	Use the symbols $<,>,=$ to compare the following numbers.		
	16) 66 33 17) -24 82		
6) 12, 8, -9, -12, 10, 16			
	18) 8899 19) -37 37		
	Put the numbers in order from least to greatest.		
	20) -89, 42, -26, 8 21) -91, -46, 52, 12, 0		

Coordinate Plane



- The Coordinate Plane is a grid consisting of two perpendicular number lines, the (horizontal) <u>x-axis</u> and (vertical) <u>y-axis</u>
 - The axes intersect at point (0,0), also known as the "origin"
 - The four open areas are called "<u>avadrants</u>"
 - Points can be plotted on the plane using a pair of x- and y- coordinates called "ordered pairs".



Plotting Points


ALL ordered pairs are written as (x,y).

The <u>1st</u> number tells how far to go <u>ACROSS</u> on the <u>X</u>-axis The <u>2nd</u> number tells how far to go <u>UP OR DOWN</u> the <u>Y</u>-axis.



Remember you have to walk **IN** a building before you can go **UP** or **DOWN** the elevator!

Points and Ordered Pairs



Use the coordinate grid above to find the coordinates for each point and tell what quadrant they are in.

Example:

A: (5,6) Quadrant I

<u>You Try:</u>


B: (,) Quadrant ____ C: (,) Quadrant ____ D: (,) Quadrant ____ E: (,) Quadrant ____ F: (,) Quadrant ____ Use the coordinate plane below to graph the following points. Label each point with its letter.

Example:




M (-5, 4)

<u>You Try:</u>




A ______ is a "mirror image" of an object that has been "flipped" over an axis. You can use what you know about number lines and opposites to compare locations on the coordinate plane. Consider the number line and coordinate plane below.

The number line shows that -4 and 4 are opposites.



The coordinate plane shows that the points (-4, 0) and (4, 0) are the same distance from the *y*-axis in opposite directions. So, they are *reflected* across the *y*-axis. Notice that the *y*-coordinates did not change and that the *x*-coordinates are opposites.




Example:

Name the ordered pair that is a reflection of (-3, 2) across the *x*-axis.

To reflect across the x-axis, keep the same x-coordinate, -3, and take the opposite of the y-coordinate. The opposite of +2 is -2.


So, (-3, 2) reflected across the *x*-axis is located at (-3, -2).



Reflections on the Coordinate Plane


<u>You Try:</u>

Find the ordered pair that is a reflection over the x-axis and then the y-axis of each of the points below.



Original Point	Reflected over x-axis	Reflected over y-axis
(-2,5)	(,)	(,)
(-3,-1)	(,)	(,)
(1,-4)	(,)	(,)


Find the ordered pair that is a reflection over the x-axis and then the y-axis of each of the points below.



Original Point	Reflected over x-axis	Reflected over y-axis
(-2,2)	(,)	(,)
(4,5)	(,)	(,)
(3,-3)	(,)	(,)

<u>You Try:</u>

Find the ordered pair that is a reflection over the x-axis and then the y-axis of each of the points below.




Original Point	Reflected over x-axis	Reflected over y-axis
(-2,5)	(,)	(,)
(-3,-1)	(,)	(,)
(1,-4)	(,)	(,)

Graphing Polygons

You can graph polygons on a coordinate plane by graphing their vertices and connecting them.


Example:

A rectangle has vertices A(1,1), B(1,3), C(5,3), and D(5,1). Graph the polygon on the coordinate plane.



<u>You Try:</u>


A rectangle has the following vertices: D(-1, -1), E(-1, 3), F(2, 4), and G(2, -3)Graph the polygon on the coordinate plane.



Distance on a Coordinate Plane

When two ordered pairs have the same x-coordinate or ycoordinate, they are on the same line.

The distance between these two points can be found by **counting the spaces** between the points.




You can also use **<u>absolute value</u>** to determine the distance between points!

- Notice Point A = (-3,3) and Point B = (2,3). They have the same y-coordinate, _____.
- That means you're finding the distance between the x-coordinates, _____ and _____.
- -3 is 3 units from the y-axis, or |-3| = _____
- 2 is 2 units from the y-axis, or |2| = _____
- |-3| + |2| = _____ units

Examples:


 On the coordinate plane below, (2,9) and (2,3) have the same x-coordinate. The distance between them is 6 unites. You can figure this out by:




2) Area of a triangle = $\frac{1}{2}$ (b • h). In the figure below, the base is the distance from A to C and which is _____.

The height is the distance from B to C which is _____.


What is the area of the triangle? _____





You Try:

Use the graph below to answer the questions in Part 1:



PART 1

1) Write the **ordered pair** next to each point on the graph.


2) Determine the length of each side of the rectangle. If you have room, you may also label them on the graph.



- \overline{CD} = _____ \overline{DA} = _____
- 3) What is the *perimeter* of rectangle ABCD? _____
- 4) What is the **area** of rectangle ABCD?
- 5) Determine the length of the triangle's base and height:



6) What is the **area** of ΔPQR?



PART 2

Bugs Bunny's home is located at point B (-5, 4). Yosemite Sam's home is located at point Y (6, 4). Sylvester's home is located at point S (6, -2). Daffy Duck's home is located at point D (-5, -2).

- 7) Plot each character's home on the graph above. Label them B, Y, S and D. Connect their homes in the same order they are listed (then connect B & D).
- 8) What polygon was formed?
- 9) Find the distance from each house (length of sides):



<u>SD</u> = _____ <u>DB</u> = _____

10) If they march in a parade that begins at Bugs' house, goes around the rectangle and ends at Bugs' house, how many units did they travel?

Area and Perimeter of Polygons


When two ordered pairs have the same x-coordinate or ycoordinate, they are on the same line.

The _____ between these two points can be found by **counting the spaces** between the points.

Example:

A rectangle has vertices A(1,1), B(1,3), C(5,3), and D(5,1). Find the length of the sides of the rectangle.

 $\overline{AB} = 2$ $\overline{BC} = 4$ $\overline{CD} = 2$ $\overline{DA} = 4$



Use the lengths of the sides to find the area and perimeter of the rectangle.

Example:

Perimeter is the distance around the rectangle. Add all of your sides.

P = 2 + 4 + 2 + 4 = 12 units

Find the area by multiplying the base times the height.

 $A = 4 \cdot 2 = 8 \text{ units}^2$

You Try:

 \overline{DE}

A rectangle has the following vertices: D(-1, -1), E(-1, 3), F(2, 3), and G(2, -1)

1) Find the length of each side of the rectangle.

$$= \underline{\qquad} \overline{EF} = \underline{\qquad} \overline{FG} = \underline{\qquad} \overline{GD} = \underline{\qquad}$$


2) Find the perimeter of the rectangle above.

3) Find the area of the rectangle above.

Find the Missing Points

If the points on the coordinate plane below are three of the vertices of a rectangle, what are the coordinates of the fourth vertex? Remember that opposite sides of a rectangle are congruent (equal)!

Example:




- What is the missing point? ______
- What is the perimeter of the rectangle?

<u>You Try:</u>

Graph the given coordinates below to find the missing ordered pair to finish the rectangle.

(-3, 5), (-3, -2), (1, 5)



- What is the missing point? ______
- 2) What is the perimeter of the rectangle?

What is the area of the rectangle?

3) What is the area of the rectangle? _____

Reflecting a Polygon


Using what we know about reflections, we can reflect a polygon across an axis as well. Simply reflect each _____ and then redraw the figure.

Example:

Graph the following points to form a rectangle and then reflect it across the ${\bf Y}$ axis.

A(1, 3) B(4, 3) C(1, -2)

D(4, -2)



A' (-1, 3) B' (-4, 3) C' (-1, -2) D' (-4, -2)


A' is said A "prime" and it represents the new, reflected, point. That way it is easy to match up the original point with its reflection.

<u>Remember</u>: Perimeter is the sum of all the sides. Find the distance of each side and add them together.


Area is the base times the height. Find those distances and then find the product.


<u>You Try:</u>

Graph the following points to form a rectangle and then reflect it across the **Y** axis.



Graph the following points to form a rectangle and then reflect it across the **X** axis.





- 1) What is the perimeter of the new rectangle?
- 2) What is the area of the new rectangle?

Extra Practice

For #'s 1-4, write an integer for each situation:

- 1) withdraw \$20 2) a gain of 3 days vacation
- 3) 27 feet below sea level
- 4) 10 units to the right on a number line
- 5) Graph the set {-2, 2, 0, -1, 6, -4} on the number line.

←┼┼┼┼┼┼								+>
-7-6-5-4-3-2-1	0	1	2	3	4	5	6	7

- 6) The opposite of -23 is: 7) The opposite of -16 is:
- 8) The opposite of **150** is: 9) The opposite of **56** is:

Find the absolute value for each of the problems below.

10) 8	8	11)	-91	12) - 1	00
13) -	13	14)	729	15) - -2	2

Use the symbols <,>,= to compare the following numbers.

- 16) 15 ____ 12 17) |-32| ____ |37|
- 18) 68 _____ -79 ____ 19) |-47 | _____ 47


Put the numbers in order from LEAST to GREATEST.

20) -23, 58, 9, -38, 0

21) -71, -56, 2, 92, -7

Graph the given coordinates below to find the missing ordered pair to finish the rectangle.

(-2, 2), (-2, 5), (-5, 2) (,)



- What is the missing point?
- 2) What is the perimeter of the rectangle?
- 3) What is the area of the rectangle?

Use the rectangle above and the coordinate plane to find the reflection of the rectangle across the x and y axis.

Reflection over the x-axis:

A' (,)	B'(,)	C' (,)	D' (,)				
Reflection over the y-axis:							
A' (,)	B' (,)	C'(,)	D' (,)				