Unit 8

# Operations with Rational Numbers

Operations with Rational Numbers Converting Fractions, Decimals & Percents

Name:

Math Teacher: \_\_\_\_\_

### Advanced Math 6 Unit 8 Calendar

4/13	4/14	4/15	4/16	4/17
Unit 8 MSG Vocabulary Activity	Classifying Numbers	Fractions, Decimals, and Percents	Fractions, Decimals, and Percents	Catch Up
	IXL Skills W	eek of 4/8: N.1, N	.2, N.3, N.4	
4/20	4/21	4/22	4/23	4/24
Quiz	Adding Integers	Adding Integers	Adding Integers	Catch Up
	IXL Skills	Week of 4/15: N.5	, N.6, N.7	
4/27	4/28	4/29	4/30	5/1
Quiz	Subtracting Integers	Subtracting Integers	Subtracting/ Adding Integer Practice	Catch Up
IXL S	kills Week of 4/22:	Review Skills that	You Need to Wor	k On
5/4	5/5	5/6	5/7	5/8
Quiz	Subtracting/ Adding Integer Practice	Multiplying/ Dividing Rational Numbers	Multiplying/ Dividing Rational Numbers	Catch Up
5/11	5/12	5/13	5/14	5/15
Quiz	Review	Review	Unit 8 Test	Catch Up

#### Unit 8: Operations with Rational Numbers Standards, Checklist and Concept Map

#### Georgia Standards of Excellence (GSE):

MGSE7.NS.1a: Describe situations in which opposite quantities combine to make 0.

<u>MGSE7.NS.1b</u>: Understand p + q as the number located a distance |q| from p, in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.

**MGSE7.NS.1c**: Understand subtraction of rational numbers as adding the additive inverse, p - q = p + (-q). Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.

MGSE7.NS.1d: Apply properties of operations as strategies to add and subtract rational numbers.

**MGSE7.NS.2a**: Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as (-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.

<u>MGSE7.NS.2b</u>: Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then -(p/q) = (-p)/q = p/(-q). Interpret quotients of rational numbers by describing real-world contexts

MGSE7.NS.2c: Apply properties of operations as strategies to multiply and divide rational numbers.

**MGSE7.NS.2d**: Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

**MGSE7.NS.3**: Solve real-world mathematical problems involving the four operations with rational numbers.

What Will I Need to Learn?? Mark a check next to each concept as you master them.

- \_\_\_\_\_ To show integer addition and subtraction on a number line
- \_\_\_\_\_ To understand that the sum of opposites is zero
- \_\_\_\_\_ To add and subtract integers, including in real-life situations (wd. problems)
- \_\_\_\_\_ Understand that subtracting is the same as adding the inverse
- \_\_\_\_\_ How to multiply integers
- \_\_\_\_\_ How to divide integers
- \_\_\_\_\_ Convert fractions (rational numbers) to decimals
- \_\_\_\_\_ How to solve problems with rational numbers

### **Unit 8 IXL Tracking Log**

	<u>Required Skills</u>						
	<u>Skill</u>	Your Score					
	J.1 (Add & Subtract Fractions w/ Like Denominators)						
Week of 3/25	J.3 (Add & Subtract Fractions w/ Unlke Denominators)						
Week	J.4 (Add & Sub Fractions w/ Like Denominators, Word Problems)						
	J.6 (Add and Subtract Mixed Numbers)						
	N.1 (Add Integers Using Counters)						
Week of 4/8	N.2 (Add Integers)						
Week	N.3 (Subtract Integers Using Counters)						
	N.4 (Subtract Integers)						
15	N.5 (Add and Subtract Integers: Find the Sign)						
Week of 4/15	N.6 (Add and Subtract Integers; Input/Output Tables)						
Ň	N.7 (Add Three or More Integers)						
	N.8 (Multiply Integers: Find the Sign)						
of 4/29	N.9 (Multiply Integers)						
Week of 4/29	N.10 (Divide Integers: Find the Sign)						
	N.11 (Divide Integers)						


**Unit 8 Concept Map:** On a separate page, make a concept map of the standards listed above. Underline the verbs and circle the nouns they modify. Then, place those verbs on the connector lines of your concept map, and the nouns in the bubbles of the concept map.

### **Unit 8 Vocabulary**

Vocabulary Term	Definition
Distributive Property	To multiply a sum by a number, multiply each addend of the sum by the number outside the parentheses.
Positive number	A number greater than zero
Negative number	A number less than zero
Opposite numbers	Two numbers with the same numeral but opposite signs (they are the same distance from zero on the number line, in opposite directions)
Natural numbers	"Counting numbers" from one to infinity
Whole numbers	"Counting numbers" from zero to infinity (all natural numbers and zero)
Integers	Whole numbers and their opposites
Rational numbers	A real number that can be written as an integer, a fraction, or a repeating or terminating decimal

### **Unit 8 Vocabulary**

Vocabulary Term	Definition
Distributive Property	
Positive number	
Negative number	
Opposite numbers	
Natural numbers	
Whole numbers	
Integers	
Rational numbers	




Pg.3a

### **Classifying Rational Numbers**

### **Converting Fractions to Decimals**

To convert from a fraction to a decimal, you \_\_\_\_\_\_ the



Name	
Date	Pd


#### **CLASSIFYIN9 NUMBERS MYSTERY PATTERNS**


Determine which three colors you are using, color the key, then color each block according to the classification of the number: whole, integer, or rational.

whole	integer	rational
whole	integer	rational

15	9.0	100	4 2	7.0	0.0	<u>14</u> 2	67	13	18	32 8	91	452	11.0	<u>18</u> q
-,11	- 1.0	1.7	-81	- 14	- <b>9</b> .0	- 17	-1.2	$-\frac{28}{4}$	$-\frac{8}{2}$	-64	$-\frac{72}{q}$	-7.1	-6	$-\frac{10}{1}$
$-\frac{77}{7}$	5.9	14.1	$-\frac{1}{8}$	- 13	$-\frac{36}{4}$	-9.1	4.9	$-\frac{15}{4}$	- 10	$-\frac{65}{5}$	$-\frac{21}{8}$	5.3	<u>34</u> 7	-33
-91	-77	<u>14</u> 3	- 18	_ <u>100</u> 2	-111	-99	2 <u>5</u> 3	- <u>33</u> 3	-55	-53	$-\frac{63}{7}$	<u>30</u> 7	-37	- <u>54</u> q
$\frac{60}{5}$	90	1.0	<u>24</u> 4	8.0	qq	567	<u>20</u> 2	89	727	qqq	88 11	<u>50</u> 5	365	$\frac{75}{5}$
0	$-\frac{33}{3}$	$-\frac{66}{2}$	890	-88	-50	178	-42	$-\frac{56}{7}$	548	- <u>120</u> 6	-70	<u>60</u> 10	-47	-93
14	231	-45	<u>28</u> 4	71	- <u>45</u> q	30	$\frac{40}{5}$	-61	qq	17	$-\frac{36}{6}$	6.0	1.0	- 12
41.1	9.8	-8.1	$-\frac{7}{3}$	$\frac{7}{4}$	-2.1	<u>-19</u> 2	13.1	17 3	9.9	61.1	<u>27</u> 5	$-\frac{26}{5}$	-7.8	$\frac{11}{4}$
$-\frac{7}{8}$	$-\frac{55}{5}$	23.1	$-\frac{70}{7}$	-3.1	$-\frac{60}{4}$	<u>-13</u> 2	- <u>45</u> 15	-5.5	$-\frac{85}{5}$	$\frac{57}{6}$	- <u>90</u> 6	- 12.1	_ <u>125</u> 25	<u>41</u> 2
$-\frac{82}{2}$	-5.6	$-\frac{66}{2}$	67.2	$-\frac{100}{10}$	- <u>100</u> q	$-\frac{80}{4}$	90.5	- <u>39</u> 13	-3.3	$-\frac{42}{6}$	$-\frac{15}{4}$	$-\frac{35}{7}$	78.3	$-\frac{52}{2}$
$-\frac{1}{5}$	7.3	3 10	2.2	-q.2	4.5	$-\frac{17}{4}$	61.2	7 q	4.67	0.98	3.5	0.32	$-\frac{4}{5}$	1.5
59	34	101	5.0	4 2	<u>42</u> 6	$\frac{35}{7}$	81 9	156	249	100	900	0	<u>120</u> 6	48 12
<u>108</u> 6	$-\frac{88}{4}$	825	$-\frac{48}{3}$	36 9	$-\frac{28}{7}$	$\frac{4}{1}$	$-\frac{12}{4}$	4.0	- <u>15</u> 3	301	$-\frac{18}{3}$	9.0	- <u>99</u> -	100 25
38	60 12	<u>ч</u> З	504	3.0	<u>121</u> 11	15	209	$\frac{56}{7}$	88	64	19 1	79	709	33 11
$-\frac{4}{5}$	-6.7	3.25	q 12	$-\frac{6}{4}$	-7.8	-2.9	8.88	4.56	-0.7	$-\frac{23}{4}$	0.45	8.7	$\frac{65}{3}$	-0.2

©Maneuvering the Middle LLC, 2015









4)  $1\frac{1}{2} =$  5)  $\frac{5}{7} =$  6)  $\frac{1}{9} =$ 

### **Converting Decimals to Fractions**

If you can \_\_\_\_\_ it as a decimal, you can \_\_\_\_\_ it as

a fraction. Say the decimal using the correct place value, write it

as a fraction and **simplify**.

#### **Examples:**

Change 0.25 to a fraction.	Change 0.4 to a fraction.	Change 1.04 to a fraction.	Change 2.001 to a fraction.
Say "twenty-five hundredths."	Say "four tenths."	Say "one and four hundredths."	Say "two and one thousandth."
$\frac{25}{100}  \frac{\div}{\div} \frac{25}{25} = \frac{1}{4}$	$\frac{4}{10}  \frac{\div 2}{\div 2} = \frac{2}{5}$	$1\frac{4}{100}  \frac{\div 4}{\div 4} = 1\frac{1}{25}$	$2\frac{1}{1000}$

#### You Try:

1) 0.3 – 2) 0.43 – 3) 7.1 –	1) 0.3 =	2) 0.45 =	3) 7.1 =
-----------------------------	----------	-----------	----------

4) 3.5 = \_\_\_\_\_ 5) 0.625 = \_\_\_\_\_ 6) 2.002 = \_\_\_\_\_

7) 1.125 = \_\_\_\_\_ 8) 10.01 = \_\_\_\_\_ 9) 1.20 = \_\_\_\_\_

### Fractions, Decimals & Percents

#### **EXAMPLE** Changing a Percent to a Fraction

Express 35% as a fraction.

• Change the percent directly to a fraction with a denominator of 100. The number of the percent becomes the numerator of the fraction.

$$35\% = \frac{35}{100}$$

 $\frac{35}{100} = \frac{7}{20}$ 35% expressed as a fraction is  $\frac{7}{20}$ .

### **EXAMPLE** Changing Decimals to Percents

Express 0.7 as a percent.	
$0.7 \times 100 = 70$	<ul> <li>Multiply</li> </ul>
0.7 -> 70%	• Add the
So $0.7$ expressed as a percen	t is 70%

- ly the decimal by 100.
- e percent sign.

so, 0.7 expressed as a percent is 70%.

#### **EXAMPLE** Changing Percents to Decimals

Change 4% to a decimal.

- Express the percent as a fraction with 100 as the denominator.  $4\% = \frac{4}{100}$
- Change the fraction to a decimal by dividing the numerator by the denominator.

 $4 \div 100 = 0.04$ 

So, 4% = 0.04.

### **Converting Practice**

Percent	Decimal	Fraction
32%	0.32	$\frac{32}{100} \stackrel{\div}{\div} \frac{4}{4} = \frac{8}{25}$
	0.81	
40%		
		$\frac{4}{5}$
52%		
	1.25	
		$1\frac{9}{11}$
		$\frac{12}{16}$
144%		
	0.06	

### **More Converting Practice**

Percent	Decimal	Fraction
24%	0.24	$\frac{24}{100} \stackrel{\div}{\div} \frac{4}{4} = \frac{6}{25}$
	0.75	
38%		
		$\frac{10}{14}$
160%		
	2.15	
		$\frac{6}{13}$
		$1\frac{20}{32}$
8%		
	0.4	

### **Adding Rational Numbers**

To add rational numbers with the same sign, add their absolute values. The sum is:

- positive if both integers are positive. •
- negative if both integers are negative. •


To add rational numbers with different signs, subtract their absolute values.

The sum is:


- positive if the positive integer's absolute value is greater. ٠
- negative if the negative integer's absolute value is greater. ٠
- **Remember:** What do you have more of, positives or negatives, ٠ and how many more do you have?


#### **Examples:**

**1.** Find -3 + (-2).




- **2.** Find -26 + (-17). -26 + (-17) = -43
- **3.** Find 5 + (-3).







So. -3 + 2 = -1.

Find -3 + (-2).




Three negatives (-3) plus another two negatives (-2) gives you five negatives (-5).






First, match up your zero pairs.



\*\*Remember that the sum of a number and its opposite is always 0. A number and its opposite are zero pairs.\*\*

Then cross out your zero pairs.



There are three positives left so, 5 + (-2) = 3.

#### You Try:


Use (+) and (–) counters or a number line to find the sum.				
<b>1)</b> -5 + (-2)	<b>2)</b> 8 + 1	<b>3)</b> -7 + 10		
<b>4)</b> 16 + (-11)	<b>5)</b> -22 + (-7)	<b>6)</b> -50 + 50		
<b>7)</b> -10 + (-10)	<b>8)</b> 100 + (-25)	<b>9)</b> -35 + (-20)		
Use any method to find the	sum.			
<b>10)</b> -7 + (-3) + 10	<b>11)</b> -42 + 36 + (-36)	<b>12)</b> -17 + 17 + 9		
<b>13)</b> 5 + (-8)	<b>14)</b> -3 + 3	<b>15)</b> -3 + (-8)		
<b>16)</b> -7 + (-7)	<b>17)</b> -8 + 10	<b>18)</b> -7 + 13		
<b>19)</b> $\frac{5}{8} + \frac{1}{8}$	<b>20)</b> $-\frac{1}{4}+\frac{3}{4}$	<b>21)</b> $-\frac{7}{15} + (-\frac{4}{15})$		
<b>22)</b> -1.4 + (-1.3)	<b>23)</b> 1.4 + (27)	<b>24)</b> -28 + 1.6		
<b>25)</b> 5 + 11 + (-5)	<b>26)</b> 7 + (-5) + 5	<b>27)</b> 9 + (-9) + 10		

Write an addition expression to describe each situation. Then find each sum.

28) HAWK A hawk is in a tree 100 feet above the ground. It flies down to the ground.

29) **RUNNING** Leah ran 6 blocks north then back 4 blocks south.

Answer the problems below and connect the dots in the order they are given. The pattern is started for you. Note: The two patterns are not connected together.



### **Adding Integers with Models**

Problem	Sum	With Counters	Number Line
1) 3 + (-5) =			
2) 2 + (-8) =			
3) 4 + (-4) =			← + + + + + + + + + + + + + + + + + + +
4) (-7) + 4 =			
5) (-6) + 5 =			

What is the algorithm (rule) for adding integers with **DIFFERENT** signs?

Problem	Sum	With Counters	Number Line
1) -5 + -2 =			
2) -2 + -3 =			←
3) -2 + -4 =			
4) 7 + 4 =			← + + + + + + + + + + + + + + + + + + +
5) -2 + -3 =			

What is the algorithm (rule) for adding integers with the <u>SAME</u> signs?

### **More Adding Rational Numbers**

If a = -3, b = -5 and c = 5, find the sum.			
1) c+b	<b>2)</b> a +  b	<b>3)</b>  a+b	
<b>4)</b> a + b + c	<b>5)</b> a +  c + b	<b>6)</b> a + c	
lf x = -10, y = 2 and z	= -1, find the sum.		
<b>7)</b> x + z	<b>8)</b>  z  + x	<b>9)</b>  x + y + z	
<b>10)</b> z + y	<b>11)</b> x + y	<b>12)</b>  x + y  + z	

Write an addition expression to describe each situation. Then find each sum.

13) FOOTBALL A team gains 20 yards. Then they lose 7 yards.


14) MONEY Roger owes his mom \$5. He borrows another \$6 from her.

- **15) HOT AIR BALLOON** A balloon rises 340 feet into the air. Then it descends 130 feet.
- **16) CYCLING** A cyclist travels downhill for 125 feet. Then she travels up a hill 50 feet.

### **Subtracting Rational Numbers**

Are you able to add rational numbers? Then you are able to subtract integers.

To subtract an integer, add its additive inverse. In other words, you subtract rational numbers by adding the opposite.



#### **Examples:**

**1.** Find 8 – 13. **16)** 6 - (-31) **17)** -18 - (-40) **18)** 15 – (–61) 8 - 13 = 8 + (-13) To subtract 13, add -13. = -5 Simplify. Check by adding  $-5 + 13 \stackrel{?}{=} 8$ Evaluate each expression if r = -4, s = 10, and t = -7. 8 = 8 🗸 **19)** r – 7 **20)** t - s **2.** Find -10 - 7. **21)** s - (-8) **22)** t - r -10 - 7 = -10 + (-7) To subtract 7, add -7. = -17Simplify. Check by adding  $-17 + 7 \stackrel{?}{=} -10$ **23)** s – t **24)** r - s  $-10 = -10 \checkmark$ 

<u>You Try:</u>	
Subtract.	

**2)** 6 - (-7)

**5)** -7 - (-7)

**8)** -15 - 6

**11)** 13 – (–12)

**14)** –16 – 14

**3)** -3 - 2

**6)** 6 – 12

**9)** -3 - 8

**12)** 14 - (-22)

**15)** -25 - 25

**1**) 5 – 2

**4)** 8 – 13

**7)** 15 – (–7)

**10)** -10 - 12

**13)** 10 – (–20)

- **25) FOOTBALL** A team gained 5 yards on their first play of the game. Then they lost 6 yards. Find the total change in yardage.
- **26) CHECKING** Your checking account is overdrawn by \$50. You write a check for \$20. What is the balance in your account?
- 27) **TEMPERATURE** The average temperature in Calgary, Canada, is 22°C in July and –11°C in January. Find the range of the highest and lowest temperatures in Calgary.

Evaluate each expression if x = -8, y = 7, and z = -11.

<b>28)</b> × – 7	<b>29)</b> -13-y
<b>30)</b> –11 – z	<b>31)</b> x – z
<b>32)</b> <i>z</i> – <i>y</i>	<b>33)</b> y – x
<b>34)</b> × – (–z)	<b>35)</b>  y-z
<b>36)</b> x - z - y	<b>37)</b> 3 + -x

### **Subtracting Integers with Models**

Problem	Sum	With Counters	Number Line
1) 3 - 2 =			
2) -2 - (-1) =			
3) 4 - (-4) =			
4) (-7) – (-4) =			
5) 6 - 10 =			
6) -5 - (-2) =			
7) -2 - (-3) =			
8) 2 - 4 =			
9) 1 - (-9) =			
10) -2 - (-3) =			

What is the algorithm (rule) for subtracting integers?

### Solving One-Step Equations +/-

# Solving a one-step equation with integers requires you to create zero pairs to isolate the variable.

#### Examples:

#1	Solve:	<i>r</i> + 5 = -10	Check: $r + 5 = -10$	
		-5 -5	-15 + 5 = -10	
		r = -15	-10 = -10 ✓	
#2	Solve:	p – (-3) = -6	Check: p – (-3) = -6	
		p + 3 = -6	-9 - (-3) = -6	
		-3 -3	-9 + 3 = -6	
		p = -9	-6 = -6 ✓	
You Try!				
Solve each equation. Don't forget to check your answer.				

### **1.** x - 13 = -22 **2.** x - (-4) = 10 **3.** y + 16 = -2

### **Mixed Practice**

Find the sum or difference.

<b>1.</b> -3 + 5	<b>2.</b> -7 + (-7)	<b>3.</b> 3 – 7
<b>4.</b> -2 + 2 + (-2) + 2	<b>5.</b> 4 + 9 + (-14)	<b>6.</b> -120 + 2
<b>7.</b> -5 – 4	<b>8.</b> 6 + (-2) – (-3)	<b>9.</b> 0 – (-14)
<b>10.</b> -69 + - (32)	<b>11.</b> -20 – 0	<b>12.</b> -30 – 2 – (-20)
<b>13.</b>  -13  -  13	<b>14.</b> 6 + (-4) + 9 + (-2)	<b>15.</b> -5 – 4

**Evaluate each expression if** r = -5, s = 11, and t = -6. **16.** r - 7**17.** t - s

**18.** s – (–8) **19.** t – r

**5.** z + (-5) = 12 **6.** t + (-7) = -5 **7.** r - (-12) = -17 **20.** s - t **21.** r - s

			Solve each equation	on. Don't forget to chec	k your answer.
<b>8.</b> <i>j</i> + 23 = 54	<b>9.</b> <i>y</i> - 14 = 9	<b>10.</b> e + (-13) = -2	<b>22.</b> x - (-4) = 7	<b>23.</b> y + 3 = -12	<b>24.</b> z – 5 = -15

### **Multiplying Rational Numbers**

The PRODUCT of two rational numbers with <u>the same sign</u> is always positive.

#### Examples:

1) 2(6) = 12	2) -10 (-6) = 60	3) $(-4)^2 = 16$

#### <u>You Try:</u>

1) -12 (-4) =	2) (-5) <sup>2</sup> =	3) 6 (7) =
4) -34 (-2) =	5) -20 (-8) =	6) (-2)4

The PRODUCT of two rational numbers with <u>different signs</u> is always negative.

#### Examples:

1) 6 (-4) = -24 2) -5 (7) = -35

#### You Try:

1) -7 (11) =	2) (-3) <sup>3</sup> =	3) -2 (14) =
4) (-3) (-4) (-5) =	5) (-9) (-1) (-5) =	6) 8 (-12) =

Evaluate each expression if a = -6, b = -4, c = 3, and d = 9. Show all work including substitution and computation.

7) -5c =	8) b <sup>2</sup> =	9) 2a =
10) bc =	11) abc =	12) abc <sup>3</sup> =

13)  $-3a^2 =$  14)  $-cd^2 =$  15) -2a + b =

#### MULTIPLYING INTEGERS - A

E		LE	#1									
4	•	(- 6)	) =	4	x 6	=	24 =	= (- 24)				DIVIDE RULES
POS	HAVE A ITIVE FOUR GATIVE SI				PLY THE ER8, 4 X 6 = 24.	] [	WHEN MUL A "+" AND A A NEGATIVI	MAKE8	T	HE ANSW	ER IS F	E THE SAME, POSITIVE. E DIFFERENT, NEGATIVE.
E)	(AMPI	LE	#2							-	EXAM	PLES
(- 3	3) •	(- 2	) = _	(3) (	(2) = 6	=	+ 6					<ul> <li>+12</li> </ul>
NEGAT	AVE A		N		PLY THE ER8, 3 X 2 = 6.	A 7-	EN MULTIPL	AAKES				<ul> <li>+12</li> <li>-12</li> </ul>
AND A	NEGATIVE	TWO				AP	OSITIVE NU	MBER.				-12
SOLVE.												
1.	3	·	6	=			2.	(- 5)	٠	+7	=	
	THE SIG	NS AR	RE THE SA	ME.				THE SIGN	IS A	RE DIFFER	ENT.	
3.	(- 8)	·	4	=			4.	(- 6)	•	+ 8	=	
5.	9	·	(+ 4)	=			6.	4	•	- 6	=	
7.	- 6	•	(- 6)	=			8.	9	•	(- 9)	=	
9.	0	•	(- 8)	=			10	. (- 9)	•	(- 9)	=	
11.	3		+7	=			12	- 5		3	=	
13.	(- 2)		13	=			14	(- 7)		(- 6)	=	
15.	- 8		(- 7)	=			16	+ 9	•	13	=	
17.	5		- 1	=			18	. 12	•	(- 5)	=	
19.	(+ 5)		(- 3)	=			20	(- 4)		(- 4)	=	
21.	8		0	=			22	- 7	•	(- 9)	=	
23.	(- 4)	•	(- 9)	=			24	+ 5	•	- 6	=	
25.	11		- 5	=			26	. 0		(- 4)	=	
27.	(- 3)		8	=			28	6	•	(+ 7)	=	
29.	12		+ 12	=			30	- 9	•	(- 9)	=	
29.	(- 7)		5	=			30	. (+ 2)	•	13	=	

### **Dividing Rational Numbers**

The QUOTIENT of two rational numbers with <u>the same sign</u> is always positive.

#### Examples:

1) 80 ÷ (10) = 8	2) $\frac{-66}{-11} = 6$	3) -42 ÷ (-6) = 7
------------------	--------------------------	-------------------

#### <u>You Try:</u>

1) -14 ÷ (-7) =	2) $\frac{-80}{-20} =$	3) -420 ÷ (-3) =
4) $\frac{540}{45} =$	5) -24 ÷ (-8) =	6) 100 ÷ (-0) =

# The QUOTIENT of two rational numbers with <u>different signs</u> is always negative.

#### Examples:

1) 80 ÷ (-10) = -8	2) $\frac{-66}{11} = -6$	3) -42 ÷ 6 = -7
<u>You Try:</u>		
1) -12 ÷ 4 =	2) $\frac{18}{-2} =$	3) -10 ÷ 10 =
4) 350 ÷ (-25) =	5) $\frac{-256}{16} =$	6) -12 ÷ (4) =

Evaluate each expression if d = -24, e = -4, & f = 8. Show all work including substitution and computation.

7) 
$$12 \div e$$
 8)  $40 \div f$ 
 9)  $d \div 6$ 

 10)  $d \div e$ 
 11)  $f \div e$ 
 12)  $e^2 \div f$ 

13) 
$$\frac{-d}{e}$$
 14)  $ef \div 2$  15)  $\frac{f+8}{-4}$ 


#### **DIVIDING INTEGERS - A**

EXAMPLE #1


	AMMPL												
	24	÷	(- 6)	=	24	÷	6	=	4 =	(- 4)			
	YOU HA POSITIV				NIDE TH				IVIDING,				D DIVIDE RULE
	ANEGA			N	UMBERS	3,24÷8	= 4.		D A *** MAKE TIVE NUMBE				ARE THE SAME IS POSITIVE. IF
								ANDUA	THE NUMBER	ax.	THE SIGN	IS AR	E DIFFERENT
E	XAMPL	E	#2								THE ANS	WER	IS NEGATIVE.
	(- 32)	÷	(- 8)	=	32	÷	8	=	4 =	+4	, —	Ð	AMPLES
	YOU HAVE THIRTY-TW				DIVIDE 1				AND A *** M				(+3) = +4
	NEGATIVE			וו	NUMBER	15, 32 1	0-4.		SITIVE NUN		(-	12) -	(-3) = +4
													(-3) = -4
SOLVE											(-	12) -	(+3) = -4
1.		÷	3	=				2.	+ 40	÷	(- 4)	=	
	THE SIGN		-					-			E DIFFER		
	THE ORDING		EINEOA	MC.					THE OIL	IND AR	E DIFFER	ENII.	
3.	(- 12)	÷	+ 6	=				4.	33	÷	(- 3)	=	
-	12								( 04)				
5.	12	÷	(- 6)	=				6.	(- 61)	÷	(- 9)	=	
7.	(- 35)	÷	(-7)	=				8.	(+ 16)	÷	+4	=	
9.	(+ 36)	÷	9	=				10.	(- 27)	÷	- 3	=	
11.	(- 49)	÷	(+7)	=				12.	54	÷	9	=	
13.	15	÷	5	=				14.	+ 42	÷	(- 6)	=	
15.	- 28	÷	4	=				16.	(- 18)	÷	(- 6)	=	
10.	20	•						10.	(- 10)	•	(- 0)		
17.	0	÷	- 8	=				18.	39	÷	(- 3)	=	
	( 22)							~~	(		-		
19.	(- 32)	÷	+4	=				20.	(- 60)	÷	5	=	
21.	(- 12)	÷	(-2)	=				22.	(- 8)	÷	(- 1)	=	
23.	72	÷	(- 9)	=				24.	22	÷	- 2	=	
25	( 20)			_				-	(+ 25)		-	_	
25.	(- 30)	÷	+3	=				26.	(+ 25)	÷	5	=	
27.	48	÷	(- 8)	=				28.	+ 36	÷	(-4)	=	
			/							-			
29.	- 14	÷	(- 7)	=				30.	(- 45)	÷	(+ 9)	=	
										-			
31.	16	÷	(+ 8)	=				32.	- 24	÷	12	=	

# MULTIPLYING AND DIVIDING INTEGERS RULES

(ONLY USED FOR MULTIPLICATION AND DIVISION)



Put your fingers over the two signs of the numbers in your problem. The remaining sign is the sign of the answer.



Cover the two signs in any row column or diagonal the remaining sign is the sign of your answer.

### **Multiplying and Dividing Puzzle**



The multiplication table below contains 42 mistakes. Shade in each box that contains a mistake. Please use pencil so you can erase if necessary. YOU WILL END UP WITH A FAMOUS FARMING EXPRESSION! plication table below contains 42 mistakes. Shade in that contains a mistake. Please use pencil so you

۲-	-21	63	-42	35	-49
6	27	81	-54	45	63
	-15	45	-30	25	-35
7 -5	-21	63	-42	35	-49
9_	-18 -21 -15	54	-36 -42 -30 -54	30	-42
2	9	-18	12	10	14
ω	12 -24	36 -72 -18	48	20 -40 -10	28 -56 14
4	12	36	24	20	28
T	-3	ი	9-	5	-7
œ	-24 -3	72	-48 -6	40	-56 -7
3	6	54 -27	18	-15	21
9	-18	54	-36 18	30 -15	
6-	-27	-81	54		-63
4	-12 -27 -18	-18 -36 -81	12 - 24	-10 -20 -45	14 -28 -63 -42
8	9	-18	12	-10	14
×	-3	6	9_	5	7-


### **Mulitiplying and Dividing Practice**

#### Multiply and/or Divide.

1) -15 ÷ 3 =	2) -30(5) =	3) 22 ÷ (-2) =
4) -14(-6) =	5) -8 ÷ (-8) =	6) -7 (15) =
7) 225 ÷ (–15) =	8) 7(-3) =	9) -38 ÷ 2 =
10) -2(-10) =	11) -500 ÷ (-50) =	12) -3(-3)(4) =
13) (-5) <sup>2</sup> =	14) -24 ÷ (-8) =	15) 20(-6) =
16) -49 ÷ (-7) =	17) (-13) <sup>2</sup> =	$18) \frac{-36}{-4} =$
19) -3(4) =	20) $\frac{0}{-9} =$	21) 3(-3) =
22) $\frac{64}{4} =$	23) (-5)(-3)(4) =	24) -189 ÷ (-21) =
Evaluate each expression your work!	if m = –32, n = 2, and	d p = -8. Show all
25) m÷n=	26) p÷4=	27) p <sup>2</sup> ÷ m =
28) m÷p=	29) $\frac{-p}{n} =$	30) p÷(-n²) =

31) 
$$\frac{p}{4n} =$$
 32)  $\frac{18-n}{-4} =$  33)  $\frac{m+8}{-4} =$ 

34)  $\frac{m+n}{6} =$  35) mnp = 36)  $m \div n =$ 



Pg.16a

### Solving One-Step Equations x/+

Solving a one-step equation with integers requires you to create zero pairs to isolate the variable.

#### Examples:

#1	Solve:	-2x = 12	Check: $-2x = 12$
		÷-2 ÷-2	-2(-6) = -12
		x = -6	-12 = -12 ✓
#2	Solve:	$\frac{x}{-5} = -7$	Check: $\frac{x}{-5} = -7$

x = 35

 $(-5) \frac{x}{-5} = -7 (-5) \qquad \qquad \frac{-35}{-5} = -7$ 

--7 = -7 ✓

You Try!

Solve each equation. Don't forge Solve	et to check your answer. Check
1) $\frac{x}{5} = -2$	Спеск
2) -40 = -5p	
3) $-2 = \frac{m}{16}$	
4) -11k = 22	
5) $\frac{a}{29} = 5$	
6) -22a = -418	

### **Mixed Operation Practice**

Add, Subtract, Multiply or Divide.

2) -1820 ÷ (-20) =
4 ) 38 - 54 =
6 ) -3675 ÷ (-75) =
8 ) 46 - 60 =
10) 56 • (-41) =
12) 57 • (-7) =
14) 74 - (-78) =
16) 43 • (-79) =
18) -6 + 64 =
20) 5 - 8 =
22) 38 + 53 =
24) -1260 ÷ (-30) =
26) 71 • 77 =
28) 56 + (-20) =
30) -168 ÷ 2 =

Pg.17a

### Unit 8 End of Unit Study Guide

#### Knowledge and Understanding

- 1) What is the algorithm for adding with negative numbers?
- 2) a) What is the sum of two numbers that are the same distance from zero on the number line?

b) What are they called?

3) Model the problem -6 - 2 using + and – counters:

#### Proficiency of Skills

4) 10 - (-7) =\_\_\_\_\_ 5) (2)(12)(-5) =\_\_\_\_

- 6)  $(-150) \div (-15) =$  7) (8.1) + (-1) + (-7.1) =
- 8) (-1.3)-(-4.3)=\_\_\_\_\_ 9) (-5)(2-8)=\_\_\_\_
- 10) Convert  $\frac{2}{9}$  to a decimal: \_\_\_\_\_


11) Convert 1.08 to a fraction:

#### **Application**

- 12) Order from least to greatest:  $-\frac{1}{4}$  ,  $-\frac{6}{8}$  ,  $1\frac{4}{5}$  , -0.5, 1.4
- 13) If *b* represents a negative number, is  $b \cdot b$  a positive or negative number?

- 14) A submarine 530 feet below sea level descends an additional100 feet before ascending 120 feet. What is the location ofthe submarine?
  - a) 750 ft below sea level b) 550 ft below sea level
  - c) 510 ft below sea level d) 510 ft above sea level
- 15) Which two integers have a product of -30 and a sum of -7?
- a) -3 and -10 b) -3 and -4 c) 3 and -10 d) 2 and -15
- 16) The temperature at 9 AM was 11°F. The temperature dropped4 degrees per hour for the next three hours. What is the temperature at noon?
- a) -3°F b) -7°F c) -1°F d) -2°F

17) What addition expression is represented by the model below?



18) What subtraction expression is represented by the model below?



19) When the following fractions are converted to decimals, which one will result in a repeating decimal?

A. 
$$\frac{7}{10}$$
 B.  $\frac{5}{12}$  C.  $\frac{5}{8}$  D.  $\frac{3}{5}$ 

20) For your birthday, you decide to go parasailing over the ocean. You're peacefully sailing at 120 feet above sea level, and then you ascend 25 feet. Finally, you decide to dive into the ocean, and you fall 165 feet. Describe your new location. Justify your answer with an illustration, an equation, and/or complete sentences.